

12 Mellékletek, függelékek

12.1 Szemcseméret eloszlás

Átlagolt szemcseméret eloszlás					
Dátum	<10 mm	10-20 mm	20-30 mm	30-40 mm	>40 mm
2024.04.02	21,76%	22,53%	35,72%	14,64%	5,35%
2024.04.09	20,48%	20,39%	37,33%	17,19%	4,61%
2024.04.16	21,81%	18,53%	30,71%	18,22%	10,72%
2024.04.23	24,09%	20,84%	31,84%	16,58%	6,64%
2024.04.30	14,32%	14,83%	29,87%	26,66%	14,31%
2024.05.22	19,50%	19,35%	35,59%	19,45%	6,12%
2024.06.05	17,00%	14,59%	34,78%	22,56%	11,07%
2024.06.13	19,47%	19,83%	35,47%	20,20%	5,02%
2024.06.19	23,23%	22,05%	37,24%	13,25%	4,23%
2024.06.26	18,56%	20,00%	35,05%	18,74%	7,65%
2024.08.28	15,42%	17,51%	32,43%	23,11%	11,53%
2024.09.04	14,56%	24,40%	29,80%	22,85%	8,39%
2024.09.11	15,95%	16,60%	28,52%	20,90%	18,02%
2024.09.18	21,53%	20,05%	38,56%	16,53%	3,33%
2024.10.09	20,91%	20,38%	42,39%	12,45%	3,86%

12.2 Nedvességtartalom

Átlagolt nedvességtartalom						
	<10 mm	10-20 mm	20-30 mm	30-40 mm	>40 mm	nyers
2024.04.02	43,8%	37,7%	33,1%	25,7%	15,5%	36,7%
2024.04.09	41,1%	35,2%	31,5%	24,5%	12,1%	35,0%
2024.04.16	40,3%	32,5%	27,8%	20,9%	13,6%	27,7%
2024.04.23	45,8%	38,5%	32,1%	26,9%	16,5%	35,1%
2024.04.30	33,4%	27,0%	21,4%	15,3%	6,8%	17,3%
2024.05.22	44,7%	38,6%	34,1%	24,7%	17,8%	33,5%
2024.06.05	54,9%	45,7%	40,2%	32,6%	20,5%	40,1%
2024.06.13	41,0%	36,3%	30,6%	25,8%	17,2%	40,3%
2024.06.19	47,7%	42,7%	37,9%	22,7%	10,4%	38,8%
2024.06.26	42,1%	36,1%	30,5%	20,5%	8,5%	33,6%
2024.08.28	40,6%	34,5%	27,5%	22,0%	15,2%	31,7%
2024.09.04	38,9%	31,9%	23,6%	16,0%	8,0%	19,4%
2024.09.11	45,3%	37,9%	30,7%	23,3%	13,7%	34,0%

2024.09.18	48,5%	42,5%	39,5%	32,9%	19,0%	35,7%
2024.10.09	42,0%	36,8%	33,4%	26,7%	19,5%	36,9%
2024.08.28	40,6%	34,5%	27,5%	22,0%	15,2%	31,7%
2024.09.04	38,9%	31,9%	23,6%	16,0%	8,0%	19,4%
2024.09.11	45,3%	37,9%	30,7%	23,3%	13,7%	34,0%
2024.09.18	48,5%	42,5%	39,5%	32,9%	19,0%	35,7%
2024.10.09	42,0%	36,8%	33,4%	26,7%	19,5%	36,9%

12.3 Égéshő

Átlagolt égéshő [MJ/Kg]						
Dátum	<10mm	10-20mm	20-30mm	30-40mm	>40mm	nyers
2024.04.02	15,8054	17,8714	20,2813	21,4926	23,9224	19,7786
2024.04.09	15,7617	19,4065	21,8399	22,7941	25,8672	21,4165
2024.04.16	16,4495	22,6803	24,5879	23,7384	26,6268	22,5884
2024.04.23	17,7115	19,8062	23,1712	23,9178	24,0070	23,0884
2024.04.30	16,0715	21,4696	22,9000	24,8266	24,0601	23,6040
2024.05.22	14,2576	19,4469	19,4859	22,3021	25,8896	20,7464
2024.06.05	16,2542	20,9306	22,1448	24,4711	31,2118	25,3261
2024.06.13	16,6715	20,5367	23,1379	24,4031	30,6941	22,097
2024.06.19	15,2116	18,697	20,8975	20,9616	25,3361	20,7778
2024.06.26	16,0801	21,339	20,9689	23,8262	23,5945	21,3486
2024.08.28	17,3283	20,2055	21,8364	25,0247	21,8661	21,2570
2024.09.04	14,464	21,1245	21,1371	21,2367	26,0746	22,7735
2024.09.11	16,7483	21,0301	20,2745	23,5354	23,5829	22,3277
2024.09.18	16,5968	20,6722	23,4576	22,4691	29,1921	21,8402
2024.10.09	18,1166	20,0522	21,2129	24,5660	23,9395	22,4568

12.4 Higanytartalom

Átlagolt higanytartalom [mg/kg]						
Dátum	<10 mm	10-20 mm	20-30 mm	30-40 mm	>40 mm	nyers
2024.04.02	0,26	-	-	0,08	0,34	0,24
2024.04.16	-	-	-	0,09	0,18	-
2024.04.23	0,11	-	-	-	0,20	-
2024.04.09	-	-	0,26	0,06	9,03	10,13
2024.04.30	0,29	-	-	-	-	-
2024.05.22	-	-	-	-	-	-

2024.06.05	-	0,14	-	-	-	0,05
2024.08.28	-	-	-	-	-	-
2024.09.04	-	-	-	-	-	-
2024.09.11	-	-	-	-	-	-
2024.09.18	-	-	-	-	-	-
2024.10.09	-	-	-	-	-	-

12.5 Fűtőérték

Száras fűtőérték [MJ/Kg]						
Dátum	<10 mm	10-20 mm	20-30 mm	30-40 mm	>40 mm	nyers
2024.04.02	15,21	17,23	19,63	20,83	23,14	19,08
2024.04.09	15,20	18,80	21,21	22,12	25,19	20,77
2024.04.16	14,78	20,74	22,49	21,60	24,50	20,48
2024.04.23	15,93	17,82	21,09	21,79	21,90	21,09
2024.04.30	14,47	19,47	20,67	22,64	21,56	21,30
2024.05.22	12,47	17,28	17,26	21,04	23,23	18,60
2024.06.05	14,42	18,70	19,70	21,74	28,67	21,95
2024.06.13	15,05	18,65	20,92	21,85	27,99	20,13
2024.06.19	13,82	17,04	19,12	19,00	23,04	18,94
2024.06.26	14,98	19,56	19,02	21,51	21,59	19,63
2024.08.28	15,71	18,34	19,82	23,06	20,04	19,49
2024.09.04	12,90	19,10	19,23	19,18	23,79	20,45
2024.09.11	15,27	19,33	18,33	21,65	21,62	20,51
2024.09.18	14,95	18,70	21,33	20,38	26,89	19,77
2024.10.09	16,39	18,06	19,20	22,25	21,79	20,51

12.6 Klórtartalom

Klórtartalom [%]						
Dátum	<10 mm	10-20 mm	20-30 mm	30-40 mm	>40 mm	nyers
2024.04.02	0,6609	0,4755	0,8747	0,4214	0,3009	0,6597
2024.04.09	0,8912	0,8412	0,8088	1,3644	3,5745	1,4318
2024.04.16	0,5846	0,6614	0,3977	2,1236	0,3810	0,5910
2024.04.23	0,5861	0,4691	0,5305	0,6220	0,7027	0,6255
2024.04.30	1,5577	1,4741	0,7616	0,8446	0,5698	0,7560
2024.05.22	1,1538	0,9411	0,8566	0,6022	0,2906	2,0107
2024.06.05	0,9194	0,2152	0,1115	0,0000	3,5671	1,1407
2024.06.13	0,9427	1,3501	0,9817	0,8418	0,3137	1,1963
2024.06.19	0,7437	0,8615	0,9459	0,7353	1,3468	0,9472
2024.06.26	0,5534	0,9164	0,8106	1,9102	1,1632	0,8988
2024.08.28	0,9590	0,8955	0,7167	0,6233	4,7382	0,9064
2024.09.04	0,9239	0,9414	2,6643	0,5004	0,3763	1,4684
2024.09.11	1,2714	1,1292	1,0790	1,1194	0,5149	1,1354
2024.09.18	0,8571	1,0537	0,5411	0,4896	0,9050	1,1762
2024.10.09	0,7456	0,7043	0,7769	2,2839	2,8393	0,5463

12.7 CHNS

Nitrogén tartalom [%]						
Dátum	<10mm	10-20mm	20-30mm	30-40mm	>40mm	nyers
2024.04.02	0,9720	0,9003	0,8297	1,3190	0,3750	0,7160
2024.04.09	1,0167	1,0167	1,0730	1,6880	0,6043	1,2263
2024.04.16	1,0560	0,9327	0,9477	1,0260	0,5453	0,7533
2024.04.23	1,0433	0,9083	0,8630	0,9303	0,4263	1,1357
2024.04.30	1,0747	0,9187	0,8563	0,8497	0,5450	0,5970
2024.05.22	1,1647	1,0087	0,8900	0,8210	0,4163	0,9140
2024.06.05	1,2863	1,1527	0,9317	0,8630	0,5030	0,6633
2024.06.13	1,2053	1,1410	1,3060	0,8443	0,3770	0,8107
2024.06.19	1,1533	0,9540	1,1913	0,8980	0,2960	0,7790
2024.06.26	1,1210	1,0763	1,1573	0,6687	0,3173	0,8560
2024.08.28	1,1237	1,0183	0,8797	0,7643	0,9367	1,1130
2024.09.04	1,1277	0,9750	0,6327	0,6587	0,4040	0,6050
2024.09.11	1,2570	1,0510	0,9597	0,8393	0,3447	1,0393
2024.09.18	1,1240	1,1177	0,9540	1,0333	0,6643	1,1180

2024.10.09	1,2187	1,1423	1,1083	0,9933	0,5710	1,0967
------------	--------	--------	--------	--------	--------	--------

Széntartalom [%]						
Dátum	<10mm	10-20mm	20-30mm	30-40mm	>40mm	nyers
2024.04.02	37,1667	41,0107	44,4503	45,5220	54,0903	47,5510
2024.04.09	38,2230	42,9547	45,5403	48,2507	53,1910	46,1723
2024.04.16	37,3387	42,8323	47,7737	52,3140	56,4367	46,0913
2024.04.23	38,8983	44,9173	46,2027	47,9953	53,6623	45,3723
2024.04.30	37,0727	46,1547	48,9973	47,9870	53,4343	47,2000
2024.05.22	38,3147	45,3517	47,3183	50,9590	54,4517	44,0453
2024.06.05	37,8553	47,2530	51,8090	57,5807	53,9787	60,7187
2024.06.13	39,2200	45,5250	51,7090	55,7823	64,0083	49,8387
2024.06.19	35,1760	41,0937	45,7127	50,7953	60,0520	47,9977
2024.06.26	28,7837	44,9213	49,1653	56,5377	56,4393	44,8600
2024.08.28	40,5620	46,4253	51,3620	54,4037	50,5037	44,9340
2024.09.04	40,2730	48,7150	48,8143	52,2097	54,6860	55,7130
2024.09.11	38,4493	44,0637	52,2070	48,4673	50,3513	47,5027
2024.09.18	39,3043	46,2350	48,9110	49,2323	53,6773	47,4063
2024.10.09	39,8460	44,8820	46,1820	53,5960	49,3520	46,2157

Hidrogéntartalom [%]						
Dátum	<10mm	10-20mm	20-30mm	30-40mm	>40mm	nyers
2024.04.02	2,7920	3,0320	3,0727	3,1057	3,6797	3,3020
2024.04.09	2,6700	2,8527	2,9733	3,1740	3,1893	3,0347
2024.04.16	7,8680	9,1393	9,9097	10,0797	10,0443	9,9233
2024.04.23	8,3917	9,3630	9,7913	10,0430	9,9347	9,4107
2024.04.30	7,5677	9,4003	10,5007	10,3263	11,7703	10,8403
2024.05.22	8,4043	10,1880	10,4803	11,1110	12,5520	10,1120
2024.06.05	8,6483	10,5310	11,5283	12,8470	12,0017	15,9253
2024.06.13	7,6220	8,8997	10,4637	12,0483	12,7583	9,2567
2024.06.19	6,5550	7,8013	8,3780	9,2383	10,8080	8,6500
2024.06.26	5,1787	8,3993	9,1790	10,9137	9,4540	8,0777
2024.08.28	7,6480	8,8100	9,5220	9,2813	8,6090	8,3420
2024.09.04	7,3867	9,5580	9,0093	9,7120	10,7500	10,9620
2024.09.11	6,9630	7,9997	9,1657	8,8830	9,2287	8,5560
2024.09.18	7,7403	9,2837	10,0460	9,8517	10,8327	9,7670
2024.10.09	8,1507	9,3930	9,5057	10,9313	10,1337	9,1537

Kéntartalom [%]						
Dátum	<10mm	10-20mm	20-30mm	30-40mm	>40mm	nyers
2024.04.02	0,4873	0,2257	0,1547	0,1193	0,1320	0,0900
2024.04.09	0,1667	0,1373	0,1220	0,1277	0,0530	0,1313
2024.04.16	0,7220	0,3163	0,2287	0,1137	0,0607	0,2643
2024.04.23	0,2220	0,1467	0,1107	0,1083	0,0420	0,1140
2024.04.30	0,1963	0,1387	0,1010	0,1150	0,0763	0,1267
2024.05.22	0,4983	0,2227	0,1657	0,1227	0,0510	0,1310
2024.06.05	0,2087	0,1403	0,1220	0,1050	0,0690	0,0473
2024.06.13	0,7560	0,3780	0,2947	0,2410	0,1710	0,1577
2024.06.19	0,2367	0,2237	0,1923	0,1543	0,0880	0,1390
2024.06.26	0,6383	0,3347	0,2407	0,1530	0,0780	0,1463
2024.08.28	0,2400	0,1843	0,1380	0,0900	0,0797	0,4600
2024.09.04	0,2733	0,1480	0,1233	0,0747	0,0340	0,0473
2024.09.11	0,1500	0,1253	0,0717	0,0513	0,0447	0,0807
2024.09.18	0,5267	0,2453	0,1723	0,1723	0,1400	0,1553
2024.10.09	0,2637	0,2273	0,1763	0,1090	0,0743	0,1593