

Irodalomjegyzék

Allan I. Basbaum I. Diana M. B. Cellular and Molecular Mechanisms of Pain. Cell 139, 264-284, 2000

Andlin-Sobocki P., Jönsson B-, Wittchen H-U, Olesen J. Cost of disorders of the brain in Europe. Eur J Neurol; 12 (S1):1-27. 2005

Banik N. Swapan R. Handbook of Neurochemistry and Molecular Neurobiology, 2009

Beadle G. W. Mitchell, H. K.; Nyc, J.F. Kynurenine as an Intermediate in the Formation of Nicotinic Acid from Tryptophane by Neurospora. Proc. Natl. Acad. Sci. U. S. A, , 33(6), 155-158. 1947

Budai D. Neurotransmitters and receptors in the dorsal horn of the spinal cord, Acta Biologica Szegediensis, Volume44 (1-4):21-38, 2000

Burstein R. Jakubowski M. Clinical implications of peripheral and central sensitization during migraine. Pain 2002- An Updated Review: Refresher Course Syllabus, ed. Giamberardino, M.A. IASP, Press, Seattle, 2002

Burstein R. Yamamura H., Malick A. Strassman A.M. Chemical stimulation of the intracranial dura induces enhanced responses to facial stimulation in brain stem trigeminal neurons. J Neurophysiol, 79 (2):964–982.1998

Burstein R. Yarnitzky D. Goor-Aryeh I. Ransil B.J. Bajwa Z. H. An association between migraine and cutaneous allodynia. Ann. Neurol. 47:614-624, 2000

Carpenedo R. Pittaluga A. Cozzi A. Attucci S. Galli A. Raiteri M. Moroni F. Presynaptic kynurenate-sensitive receptors inhibit glutamate release. Eur J Neurosci 13(11):2141–2147. 2001

Carstens E. Simons C. T. Dessirier J. M. Carstens M. I. Jinks S. L. Role of neuronal nicotinic acetylcholine receptors in the activation of neurons in trigeminal subnucleus caudalis by nicotine delivered to the oral mucosa. Exp Brain Res 132(3):375–383. 2000

Caterina M. J. Schumacher M.A. Tominaga M. Rosen T.A. Levine J.D. Julius D. The capsaicin receptor: a heat-activated ion channel in the pain pathway. Nature, 389, 816–824. 1997

Clavelou P. Dallel R. Orliaguet T. Woda A. Raboisson, P. The orofacial formalin test in rats: effects of different formalin concentrations. Pain, , 62(3), 295-301. 1995

Clavelou P. Pajot J. Dallel R. Raboisson P. Application of the formalin test to study of orofacial pain in the rat, Neuroscience Letters, 103,349-353,1989

- D'Andrea G. Leon A D'Arrigo A. Dalle Carbonare M. Pathogenesis of migraine: role of neuromodulators. *Headache*. Jul-Aug;52(7):1155-63.2012
- Davis A. M. Inturrisi C. E. Attenuation of hyperalgesia by LY235959, a competitive N-methyl-D-aspartate receptor antagonist. *Brain Res* 894 (1):150–153, 2001
- Dodick D.W. Rozen T.D., Goadsby P.J., Silberstein S.D., Cluster headache. *Cephalalgia* 20:787-803,2000
- Du J. Koltzenburg M. Carlton S. M. Glutamate-induced excitation and sensitization of nociceptors in rat glabrous skin. *Pain*, 89 (2-3), 187-198. 2001
- Dubuisson D. Dennis S.G.The formalin test: a quantitative study of the analgesic effects of morphine, meperidine and brain stem stimulation in rats and cats. *Pain* 4:161–174. 1977
- Edvinsson L. Migraine and headache pathophysiology. London, Martin Dunitz, 1999
- Edvinsson L. Ho T. W. CGRP receptor antagonism and migraine.. *Neurotherapeutics*. Apr;7(2):164-75, 2010
- Fang L.Wu J. Lin Q. Willis W. D. Calcium-calmodulin-dependent protein kinase II contributes to spinal cord central sensitization. *J Neurosci* 22(10):4196–4204, 2002
- Fejes A. Párdutz Á. Kynurenine Metabolites and Migraine: Experimental Studies and Therapeutic Perspectives, *Neuropharmacol.* 9(2): 376–387, 2011
- Fejes-Szabó A. Bohár Z. Vámos E. Nagy-Grócz G. Tar L. Veres G. Zádori D. Szentirmai M. Tajti J. Szatmári I. Fülöp F. Toldi J. Párdutz A. Vécsei L. Pre-treatment with new kynurenic acid amide dose-dependently prevents the nitroglycerine-induced neuronal activation and sensitization in cervical part of trigemino-cervical complex, *J Neural Transm.* 2014
- Fulop F. Szatmari I. Toldi J. Vecsei L. Modifications on the carboxylic function of kynurenic acid. *J Neural Transm.* 119 (2):109-114. 2012
- Goadsby P.J. Migraine, allodynia, sensitisation and all of that. *Eur. Neurol.* 53:10-16, 2005
- Gray R. Rajan A.S. Radcliffe K.A. Yakehiro M. Hippocampal synaptic transmission enhanced by low concentrations of nicotine. *Nature* 383(6602):713–716. 1996
- Harris J. A. Using c-fos as a Neural Marker of Pain, *Brain Research Bulletin*, Vol. 45, No. 1, pp. 1–8, 1998

Headache Classification Committee of the International Headache Society. The International Classification of Headache Disorders, 3rd edition, Cephalalgia 33(9) 629–808, 2013

Headache Classification Subcommittee of the International Headache Society. The International Classification of Headache Disorders. Cephalalgia; 24(Suppl.1.):1-160. 2003

Hilmas C. Edna F. Pereira R. Alkondon M. The Brain Metabolite Kynurenic Acid Inhibits α_7 Nicotinic Receptor Activity and Increases Non- α_7 Nicotinic Receptor Expression, Physiopathological Implications, The Journal of Neuroscience, 21(19):7463–7473, 2001

Hopkin J. Neal M. J. Effect of electrical stimulation and high potassium concentrations on the efflux of (14C) glycine from slices of spinal cord. Br J Pharmacol 42; (2):215-23. 1971

Jensen K. T. Hansen P. Lauritzen M. Olesen J. Classic migraine, a prospective recording of symptoms. Acta Neurol. Scand. 73:359-362, 1986

Kangra I. Randic M. Outflow of endogenous aspartate and glutamate from the rat spinal dorsal horn in vitro by activation of low- and high-threshold primary afferent fibers. Modulation by μ -opioids. Brain Res; 553: 347-52, 1991

Kessler M. Terramani T. Lynch G. Baudry M. A glycine site associated with N-methyl-D-aspartic acid receptors: characterization and identification of a new class of antagonists. J. Neurochem., 52(4), 1319-1328. 1989

Kiss C. és Vécsei L. Kynurenines in the brain: Preclinical and clinical studies, therapeutic considerations, Handbook of Neurochemistry and Molecular Neurobiology: Brain and Spinal Cord Trauma; 3rd Edition; 91-107; Springer, 2009

Klamt J. G. Effects of intrathecally administered lamotrigine, a glutamate release inhibitor, on short- and long-term models of hyperalgesia in rats. Anesthesiology; 88: 487-94, 1998

Knyihár-Csillik E. Mihály A. Krisztin-Peva B., Robotka H., Szatmári I., Fülöp F., Toldi J., Csillik B., Vécsei L. The kynurenate analog SZR-72 prevents the nitroglycerol-induced increase of c-fos immunoreactivity in the rat caudal trigeminal nucleus: comparative studies of the effects of SZR-72 and kynurenic acid. Neurosci Res.; 61(4): 429-32. 2008

Kropp P. Egli G. Sándor P. S. Tension-type headache introduction and diagnostic criteria. Handb Clin Neurol.; 97:355-8, 2010

Lance J. W. Curran D. A. Anthony M. Investigations into the mechanism and treatment of chronic headache. *Med J Aust*, 2:909, 1965

Lance J.W. Goadsby P. Mechanism and management of headache. 6th ed. London: Butterworth and Heinemann, 1998

Lapin I.P. Stimulant and convulsive effects of kynurenines injected into brain ventricles in mice. *J. Neural Transm.* ;42(1):37–43. 1978

Lauritzen M. Pathophysiology of the migraine aura. The spreading depression theory. *Brain*;117(1): 199-210. 1994

Le Bars D. Gozariu M. Cadden S.W. Animal models of nociception. *Pharmacol Rev.*, Dec;53(4):597-652, 2001

Leone M. Bussone G. Pathophysiology of trigeminal autonomic cephalalgias. *The Lancet Neurology* 8:8, 755-764. 2009

Liu L. Chang G. Q. Jiao Y.Q., Simon S.A. Neuronal nicotinic acetylcholine receptors in rat trigeminal ganglia. *Brain Res* 809(2):238–245, 1998

May A. Goadsby P.J. The trigeminal system in humans: Pathophysiologic implications for primary headache syndromes of the neural influences on the cerebral circulation, *Journal of Cerebral Blood Flow & Metabolism* 19, 115-127, 1999

McGehee D.S. Heath M.J. Gelber S. Devay P. Role L.W. Nicotine enhancement of fast excitatory synaptic transmission in CNS by presynaptic receptors. *Science* 269(5231):1692–1696. 1995

Mecs L. Tuboly G. Nagy E. Benedek G. Horvath G. The peripheral antinociceptive effects of endomorphin-1 and kynurenic acid in the rat inflamed joint model. *Anesth Analg* 109 (4):1297-1304. 2009

Meller S. T. Dykstra C.L. Gebhart G.F. Acute mechanical hyperalgesia is produced by coactivation of AMPA and metabotropic glutamate receptors. *Neuroreport*; 4: 879-82, 1993

Mitsikostas D. D. Sanchez del Rio M. Waeber C. Moskowitz M. A. Cutrer F. M. The NMDA receptor antagonist MK-801 reduces capsaicin-induced c-fos expression within rat trigeminal nucleus caudalis. *Pain* 76(1–2):239–248, 1998

Mongini F. Rota E. Deregibus A. Accompanying symptoms and psychiatric comorbidity in migraine and tension-type headache patients. *J Psychosom Res.* 61(4):447-51. 2006

Moroni F. Tryptophan metabolism and brain function: focus on kynurenine and other indole metabolites. *Eur. J. Pharmacol.*, 375, 87±100, 1999

Moskowitz M.A. Defining a pathway to discovery from bench to bedside: the trigeminovascular system and sensitization. *Headache*,;48(5): 688-90. 2008

Nasstrom J. Karlsson U. Post C. Antinociceptive actions of different classes of excitatory amino acid receptor antagonists in mice. *Eur J Pharmacol* 212 (1):21-29, 1992

Nicoletti F. Bruno V. Copani A. et al. Metabotropic glutamate receptors: a new target for the therapy of neurodegenerative disorders? *Trends Neurosci*; 19: 267-71, 1996

Nicolodi M. Sicuteri F. Exploration of NMDA receptors in migraine: therapeutic and theoretic implications. *Int J Clin Pharmacol Res* 15(5–6):181–189, 1995

Ohshiro H. Tonai-Kachi H. Ichikawa K. GPR35 is a functional receptor in rat dorsal root ganglion neurons. *Biochem. Biophys. Res. Commun.* 365, 344, 2008

Olesen J. Goadsby P.J. Synthesis of migraine mechanisms. In: Olesen J, Tfelt-Hansen P, Welch KMA, eds. *The Headaches* 2nd ed, Philadelphia, Pa: Lippincott Williams & Wilkins: 331-6. 2000

Oshinsky M.L. Luo J. Neurochemistry of trigeminal activation in an animal model of migraine. *Headache*,;46(1): 39-44. 2006

Palkovits M. Az agy és a fájdalom: az érzékelés és a válasz agypályái és transzmitterei. 2000

Pardutz A. Fejes A. Bohár Z. Tar L. Toldi J. Vécsei L. Kynurenines and headache *Neural . J Transm.* Feb;119(2):285-96. 2012

Paxinos G. Watson C. *The Rat Brain in Stereotaxic Coordinates*, 7th Edition Academic Press, 2013

Pellicciari R. Natalini B. Costantino G. Modulation of the kynurenine pathway in search for new neuroprotective agents. Synthesis and preliminary evaluation of (m-nitrobenzoyl) alanine, a potent inhibitor of kynurenine-3-hydroxylase. *J Med Chem* 37:647– 655, 1994

Porro C.A., Cavazzuti M. Spatial and temporal aspects of spinal cord and brainstem activation in the formalin pain model. *Prog Neurobiol*; 41:565–607. 1993

Prescott C. Weeks A.M. Staley K.J. Partin K.M. Kynurenic acid has a dual action on AMPA receptor responses. *Neurosci Lett.*;402(1-2): 108-12. 2006

Raboisson P. Dallel R. The orofacial formalin test, *Neuroscience and Biobehavioral Reviews* 28, 219–226, 2004

Raboisson P. Dallel R. Clavelou P. Sessle B. J. Woda A. Effects of subcutaneous formalin on the activity of trigeminal brain stem nociceptive neurones in the rat, *Journal of Neurophysiology* Published 1 February Vol. 73no. 496-505, 1995

Radhakrishnan V. Henry J.L. Excitatory amino acid receptor mediation of sensory inputs to functionally identified dorsal horn neurons in cat spinal cord. *Neuroscience*; 55: 531-44. 1993

Read S.J. Parsons A.A. Cortical spreading depression and migraine. In: *Migraine and headache pathophysiology*. Ed.: Edvinsson L., London, Martin Dunitz, pp. 81-92, 1999

Rosland J. H. Tjlsen A. Maehle B., The formalin test in mice: effect of formalin concentration *Pain*, 42, 235-242. 1990

Russel D. Storstein L. Cluster headache: a computerized analysis of 24 Holter ECG recordings and description of rhythm disturbances. *Cephalalgia* 3:83-107, 1983

Sang C.N. Hostetter M.P. Gracely R.H. et al. AMPA/KA antagonist LY293558 reduces capsaicin-evoked hyperalgesia but not pain in normal skin in humans. *Anesthesiology*; 89:1060-7, 1998

Schwartz B.S. Stewart W.F. Simon D. Lipton R.B. Epidemiology of the tension-type headache. *JAMA* 279:381-383, 1998

Schwartzman R.J. Gorthusen J. Kiefer T.R. et al: Neuropathic central pain: epidemiology, etiology, and treatment options. *Arch Neurol* ; 58:1547-1550. 2001

Sher G. D. Mitchell D. Intrathecal N-methyl-D-aspartate induces hyperexcitability in rat dorsal horn convergent neurons. *NeurosciLett*; 119: 199-202, 1990

Silberstein S. D. Lipton R.B, Goadsby P.J.: *Headache in Clinical Practice*. ISIS Medical Media, Oxford, 1998

Stone T.W. Development and therapeutic potential of kynurenic acid and kynurenine derivatives for neuroprotection. *Trends Pharmacol. Sci.*, 21, 149±154. 2000

Strassmann A.M. Raymond S.A. Burstein R. Sensitization of meningeal sensory neurons and the origin of headaches. *Nature* 384:560-564, 1996

Szentágothai J. Réthelyi M. Funkcionális anatómia I-II-III. Semmelweis Kiadó, Budapest, 1994

Tallaksen-Greene S.J. Young A.P. Penney J.B. Beitz A.J. Excitatory amino acid binding sites in the trigeminal principal sensory and spinal trigeminal nuclei of the rat. *Neurosci Lett.*;141(1): 79-83. 1992

Tjølsen A. Berge O.G. Hunskaar S. Rosland J.H. Hole K. The formalin test: an evaluation of the method. *Pain.* Oct;51(1):5-17.1992

Vámos E. Fejes A. Koch J. Tajti J., Fülöp F., Toldi J., Párdutz Á., Vécsei L. Kynurenate derivative attenuates the nitroglycerin –induced CaMKIIalpha and CGRP expression changes. *Headache.*;50(5): 834-43. 2009a

Vamos E. Pardutz A. Klivenyi P. Toldi J. Vecsei L. The role of kynurenines in disorders of the central nervous system: possibilities for neuroprotection. *J. Neurol. Sci.* 283 (1-2):21–27, 2009

Varga G. Érces D. Fazekas B. Fülöp M. Kovács T. Kaszaki J. Fülöp F. Vécsei L. Boros M. N-Methyl-D-aspartate receptor antagonism decreases motility and inflammatory activation in the early phase of acute experimental colitis in the rat *Neurogastroenterol Motil* 22, 217–e6, 2010

Vécsei L. Beal M.F. Influence of kynurenine treatment on open-field activity, elevated plus-maze, avoidance behavior and seizures in rats. *Pharmacol Biochem. Behav.*, 37:71-72, 1990

Vécsei L. Szalardy L. Fulop F. Toldi J. Kynurenines in the CNS: recent advances and new questions. *Nat Rev Drug Discov* 12 (1):64-82. 2013

Vikelis M. Mitsikostas D.D. The Role of Glutamate and its Receptors in Migraine. *CNS & Neurological Disorders-Drug Targets.*;6(4): 251-7. 2007

Wang J. Simonavicius N. Wu X. Swaminath G. Reagan J. Tian H. Ling L. Kynurenine acid as a ligand for orphan G protein-coupled receptor GPR35. *J Biol Chem* 281 (31):22021-22028. 2006

Yokota T. Olesen J. Edvinsson L. Anatomy and physiology of intra-and extracranial nociceptive afferents and their central projections. In: *Basic Mechanism of Headache.* Elsevier Science Publishers, pp.117-128.1988

Zhou S. Bonasera L. Carlton S. M. Peripheral administration of NMDA, AMPA or KA results in pain behavior in rats. *Neuroreport*; 7: 895-900, 1996

Köszönetnyilvánítás

Ezúton szeretnék köszönetet mondani Prof. Dr. Vécsei Lászlónak, hogy biztosította a kísérleteimhez szükséges feltételeket.

Témavezetőmnek, Dr. Párdutz Árpádnak és Fejes- Szabó Annamáriának köszönöm a rengeteg segítségét, szakmai iránymutatását és kitartó türelmét.

Köszönet illeti Nagy-Grócz Gábort, Bohár Zsuzsannát és Vékonyné Széll Valériát, akik sok hasznos tanáccsal láttak el a kísérleti eljárások elsajátításában, és felmerülő kérdéseimmel bizalommal fordulhattam hozzájuk bármikor.

Végül hálás köszönet családomnak, barátaimnak a türelmükért, támogatásukért.