

7. Hivatkozások

- Ambros V. (2001) *microRNAs: Tiny regulators with great potential*. Cell, 107: 823–826.
- Arimura A. (2007) *PACAP: the road to discovery*. Peptides, 28: 1617–1619.
- Atlasz T., Szabadfi K., Kiss P., Racz B., Gallyas F., Tamas A., Gaal V., Marton Z., Gabriel R., Reglodi D. (2010) *Pituitary adenylate cyclase activating polypeptide in the retina: focus on the retinoprotective effects*. Ann N Y Acad Sci. 2010 Jul;1200:128-39.
- Bagnoli P., Dal Monte M., Casini G. (2003) *Expression of neuropeptides and their receptors in the developing retina of mammals*. Histol Histopathol., 18: 1219-1242.
- Bartel D.P. (2004) *MicroRNAs: Genomics, biosynthesis, mechanism and function*. Cell, 116: 281–297.
- Bähr M. (2000) *Live or let die – retinal ganglion cell death and survival during development and in the lesioned adult CNS*. Trends Neurosci., 23: 483–490.
- Blanks J.C., Adinolfi A.M., Lolley R.N. (1974) *Synaptogenesis in the photoreceptor terminal of the mouse retina*. J. Comp. Neurol., 156:81-93.
- Blechman, J., Levkowitz G. (2013) *Alternative splicing of the pituitary adenylate cyclase-activating polypeptide receptor PAC1: mechanisms of fine tuning of brain activity*. Frontiers in Endocrinology, 4:55-
- Close, J.L., Gumuscu B., Reh T.A. (2005) *Retinal neurons regulate proliferation of postnatal progenitors and Müller glia in the rat retina via TGF β signaling*. Development, 132: 3015-3026.
- Cook J.E., Chalupa L.M. (2000) *Retinal mosaics: new insights into an old concept*. Trends Neurosci., 23: 26-34.
- Delay C., Calon F., Mathews P., Hebert S.S. (2011) *Alzheimer-specific variants in the 3' UTR of Amyloid precursor protein affect microRNA function*. Mol. Neurodegener., 6: 70.
- Dhingra N.K., Ramamohan Y., Raju T.R. (1997) *Developmental expression of synaptophysin, synapsin I and syntaxin in the rat retina*. Dev. Brain Res., 102: 267-273.
- Dickson L., Finlayson K. (2009) *VPAC and PAC receptors: From ligands to function*. Pharmacol Ther., 121: 294-316.
- Elbashir S.M., Leneckel W., Tuschl T. (2001) *RNA interference is mediated by 21- and 22-nucleotide RNAs*. Genes Dev., 15: 188–200.
- Frade J.M., Bovolenta P., Martínez-Morales J.R., Arribas A., Barbas J.A., Rodríguez-Tébar A. (1997) *Control of early cell death by BDNF in the chick retina*. Development, 124: 3313–3320.

- Fujieda H., Hamadanizadeh S.A., Wankiewicz E., Pang S.F., Brown G.M. (1999) *Expression of mtl melatonin receptor in rat retina: evidence for multiple cell targets for melatonin*. Neuroscience, 93: 793-799.
- Garbarino-Pico E., Carpentieri A.R., Contin M.A., Sarmiento M.I., Brocco M.A., Panzetta P., Rosenstein R.E., Caputto B.L., Guido M.E. (2004) *Retinal ganglion cells are autonomous circadian oscillators synthesizing N-acetylserotonin during the day*. J. Biol. Chem., 279: 51172-51181.
- Hammond S.C., Bernstein E., Beach D., Hannon G.J. (2000) *An RNA-directed nuclease mediates posttranscriptional gene silencing in Drosophila cells*. Nature, 404: 293-296.
- Hannibal J., Fahrenkrug J. (2004) *Target areas innervated by PACAP-immunoreactive retinal ganglion cells*. Cell Tissue Res., 316: 99-113.
- He S., Weiler R., Vaney D.I. (2000) *Endogenous dopaminergic regulation of horizontal cell coupling in the mammalian retina*. J Comp Neurol., 418: 33-40.
- Horsburgh G.M., Sefton A.J. (1987) *Cellular degeneration and synaptogenesis in the developing retina of the rat*. J. Comp. Neurol., 263: 553-566.
- Iuvone P.M., Tosini G., Pozdeyev N., Haque R., Klein D.C., Chaurasia S.S. (2005) *Circadian clocks, clock-controlled genes and melatonin biosynthesis in the retina*. Prog. Retin. Eye Res., 24: 433-456.
- Ivanova T.N., Alonso-Gomez A.L., Iuvone P.M. (2008) *Dopamine D4 receptors regulate intracellular calcium concentration in cultured chicken cone photoreceptor cells: relationship to dopamine receptor-mediated inhibition of cAMP formation*. Brain Res., 1207: 111-119.
- Izumi S., Seki T., Shioda S., Zhou C.J., Arimura A., Koide R. (2000) *Ultrastructural localization of PACAP immunoreactivity in the rat retina*. Ann. N.Y. Acad. Sci., 921:317-320.
- Jackson C.R., Ruan G.X., Aseem F., Abey J., Gamble K., Stanwood G., Palmiter R.D., Iuvone P.M., McMahon D.G. (2012) *Retinal dopamine mediates multiple dimensions of light-adapted vision*. The Journal of Neuroscience, 32: 9359-9368.
- Johnson J., Tian N., Caywood M.S., Reimer R.J., Edwards R.H., Copenhagen D.R. (2003) *Vesicular neurotransmitter transporter expression in developing postnatal rodent retina: GABA and glycine precede glutamate*. The Journal of Neuroscience, 23: 518-529.
- Koulen P. (1997) *Vesicular acetylcholine transporter (VAChT): a cellular marker in rat retinal development*. Neuroreport, 8: 2845-2848.
- Koulen P., Sassoè-Pognetto M., Grünert U., Wässle H. (1996) *Selective clustering of GABA(A) and glycine receptors in the mammalian retina*. J. Neurosci., 16: 2127-2140.
- Köves K., Kántor O., Vereczki V., Kausz M., Nemeskéri A., Fögel K., Kiss A., Görös T.J., Szeiffert G., Arimura A. (2000) *PACAP and VIP in the photoneuroendocrine system. From the retina to the pituitary gland*. Ann. N.Y. Acad. Sci., 921: 321-326.

- Lakk M., Szabo B., Volgyi B., Gabriel R., Denes V. (2012) *Development-related splicing regulates pituitary adenylate cyclase-activating polypeptide (PACAP) receptors in the retina*. Invest.Ophthalmol.Vis.Sci., 53: 7825–7832.
- Lang, B., Zhao, L., Cai, L., McKie, L., Forrester, J. V., McCaig, C. D., Jackson, I. J., Shen, S.(2010) *GABAergic amacrine cells and visual function are reduced in PAC1 transgenic mice*. Neuropharmacology, 58: 215–225.
- Liu, C., Fukuhara, C., Wessell, J. H., P., Iuvone, M., Tosini, G. (2004) *Localization of Aa-nat mRNA in the rat retina by fluorescence in situ hybridization and laser capture microdissection*. Cell. Tissue Res., 315: 197-201.
- Liu, C., Zhao, X. (2009) *MicroRNAs in adult and embryonic neurogenesis*. Neuromolecular Med., 11: 141-152.
- Livesey F.J., Cepko C.L. (2001) *Vertebrate neural cell-fate determination: lessons from the retina*. Nat. Rev. Neurosci., 2: 109-118.
- Mey J., Thanos S. (2000) *Development of the visual system of the chick. I. Cell differentiation and histogenesis*. Brain Res. Rev., 32: 343-379.
- Miyata A., Arimura, A., Dahl, R. R., Minaminot, N., Ueharas, A., Jiang, L., Cullern, M. D., Coy, D. H. (1989) *Isolation of a novel 38 residue-hypothalamic polypeptide which stimulates adenylate cyclase in pituitary cells*. Biochem Biophys Res Commun., 164: 567–574.
- Ohtaki, H., T. Nakamachi, K. Dohi, S. Shioda. (2008) *Role of PACAPin ischemic neural death*. J. Mol. Neurosci., 36: 16–25.
- Perry, V.H., Cowey, A. (1982) *A sensitive period for ganglion cell degeneration and the formation of aberrant retino-fugal connections following tectal lesions in rats*. Neuroscience, 7: 583–594.
- Perry, V. H., Henderson, Z., Linden, R. (1983) *Postnatal changes in retinal ganglion cell and optic axon populations in the pigmented rat*. J. Comp. Neurol., 219: 356–368.
- Rapaport, D. H., Wong, L. L., Wood, E. D., Yasumura, D., LaVail, M. M. (2004) *Timing and topography of cell genesis in the rat retina*. The Journal of Comparative Neurology, 474: 304–324.
- Reese B.E., Galli-Resta L. (2002) *The role of tangential dispersion in retinal mosaic formation*. Prog. Retin. Eye Res., 21: 153-168.
- Ribelayga, C., Wang, Y., Mangel S. C. (2004) *A circadian clock in the fish retina regulates dopamine release via activation of melatonin receptors*. J. Physiol., 554: 467-482.
- Ribelayga C, Cao Y, Mangel SC (2008) *The circadian clock in the retina controls rod-cone coupling*. Neuron, 59: 790–801.
- Rich K.A., Zhan Y., Blanks J.C. (1997) *Migration and synaptogenesis of cone photoreceptors in the developing mouse retina*. J. Comp. Neurol., 388: 47-63.

- Seki, T., Shioda, S., Ogino, D., Nakai, Y., Arimura, A., Koide, R. (1997) *Distribution and ultrastructural localization of a receptor for pituitary adenylate cyclase activating polypeptide and its mRNA in the rat retina*. *Neurosci. Lett.*, 238: 127–130.
- Seki T., Shioda S., Izumi S., Arimura A., Koide R. (2000a) *Electron microscopic observation of pituitary adenylate cyclase activating polypeptide (PACAP)-containing neurons in the rat retina*. *Peptides*, 21: 109–113.
- Seki T., Izumi S., Shioda S., Zhou C.J., Arimura A., Koide R. (2000b) *Gene expression for PACAP receptor mRNA in the rat retina by in situ hybridization and in situ RT-PCR*. *Ann. N.Y. Acad. Sci.*, 921: 366–369.
- Shioda, S., Ohtaki, H., Nakamachi, T., Dohi, K., Watanabe, J., Nakajo, S., Arata, S., Kitamura, S., Okuda, H., Takenoya, F., Kitamura, Y. (2006) *Pleiotropic functions of PACAP in the CNS: neuroprotection and neurodevelopment*. *Ann. N.Y. Acad. Sci.*, 1070: 550–560.
- Silveira, M.S., Costa, M. R., Bozza, M., Linden, R. (2002) *Pituitary adenylate cyclase activating polypeptide prevents induced cell death in retinal tissue through activation of cyclic AMP-dependent protein kinase*. *J. Biol. Chem.*, 277: 16075–16080.
- Skoglosa, Y., N. Takei, D. Lindholm. (1999) *Distribution of pituitary adenylate cyclase activating polypeptide mRNA in the developing rat brain*. *Mol. Brain Res.*, 65: 1–13.
- Smrt, Richard D., Szulwach, K. E., Pfeiffer, R. L., Li, X., Guo, W., Pathania, M., Teng, Z. Q., Luo, Y., Peng, J., Bordey, A., Jin, P., Zhao, X. (2010) *MicroRNA miR-137 Regulates Neuronal Maturation by Targeting Ubiquitin Ligase Mind Bomb-1*. *Stem Cells*, 28: 1060–1070.
- Somogyvari-Vigh, A., D. Reglodi. (2004) *Pituitary adenylate cyclase activating polypeptide: a potential neuroprotective peptide*. *Curr. Pharm. Des.*, 10: 2861–2889.
- Son, Y.J., J.W. Park, B.J. Lee. (2007) *TTF-1 expression in PACAP-expressing retinal ganglion cells*. *Mol. Cells*, 23: 215–219.
- Tosini, G., Davidson, A. J., Fukuhara, C., Kasamatsu, M., Castanon-Cervantes, O. (2007) *Localization of a circadian clock in mammalian photoreceptors*. *FASEB J.*, 21: 3866–3871.
- Tosini, G., Pozdeyev, N., Sakamoto, K., Iuvone, P. M. (2008) *The circadian clock system in mammalian retina*. *BioEssays*, 30: 624–633.
- Vaudry, D., Falluel-Morel, A., Bourgault, S., Basille, M., Burel, D., Wurtz, O., Fournier, A., Chow, B. K., Hashimoto, H., Glals, L., Vaudry, H. (2009) *Pituitary adenylate cyclase activating polypeptide and its receptors: 20 years after the discovery*. *Pharmacol. Rev.*, 61: 283–357.
- Waschek, J.A. (2002) *Multiple actions of pituitary adenylate cyclase activating peptide in nervous system development and regeneration*. *Dev. Neurosci.*, 24: 14–23.

- Wässle H., Boycott B.B. (1991) *Functional architecture of the mammalian retina*. Physiol. Rev., 71: 447-480.
- Wiechmann, A.F., Summers, J.A. (2008) *Circadian rhythms in the eye: the physiological significance of melatonin receptors in ocular tissues*. Prog. Retin. Eye Res., 27: 137-160.
- Witkovsky, P. (2004) *Dopamine and retinal function*. Documenta Ophthalmologica, 108: 17-40.
- Yamasaki E.N., Ramoa A.S. (1993) *Dendritic remodelling of retinal ganglion cells during development of the rat*. J. Comp. Neurol., 329: 277-289.
- Yang, X.F., Miao, Y., Ping, Y., Wu, H. J., Yang, X. L., Wang, Z. (2011) *Melatonin inhibits tetraethylammonium-sensitive potassium channels of rod ON type bipolar cells via MT2 receptors in rat retina*. Neuroscience, 173: 19-29.
- Zeng, Y., Yi, R., Cullen, B.R. (2003) *MicroRNAs and small interfering RNAs can inhibit mRNA expression by similar mechanisms*. Proc. Natl. Acad. Sci. USA, 100: 9779-9784.
- Zhao, W.J., Zhang, M., Miao, Y., Yang, X. L., Wang, Z. (2010) *Melatonin potentiates glycine currents through a PLC/PKC signalling pathway in rat retinal ganglion cells*. J. Physiol., 588: 2605-2619.
- Zhou, C. J., Shioda, S., Yada, T., Inagaki, N., Pleasure, S. J., Kikuyama, S. (2002) *PACAP and its receptors exert pleiotropic effects in the nervous system by activating multiple signaling pathways*. Curr Protein Pept Sci., 4: 423-39.

<http://www.bio.miami.edu/tom/courses/protected/bil265/retina.jpg>