

A dolgozathoz kapcsolódó saját közlemény:

Boros, A., Pankovics, P., Adonyi, A., Phan, T.G., Delwart, E. and Reuter, G. (2014). Genome characterization of a novel chicken picornavirus distantly related to the members of genus *Avihepatovirus* with a single 2A protein and a megrivirus-like 3' UTR. Infect. Genet. Evol. 28, 333-338.

Irodalomjegyzék

Agol, V.I., Gmyl, A.P. (2010). Viral security proteins: counteracting host defences. *Nat. Rev. Microbiol.* 8, 867-878.

Alina, P.E. (2011). Magyarországi brojlerállományok emésztőszervi kórképeivel kapcsolatos vizsgálatok, különös tekintettel a közelmúltban kimutatott parvovírusok szerepére. PhD disszertáció. <http://hdl.handle.net/10832/486>. (utoljára belépve 2014.12.22).

Belsham, G.J., Jackson, R.J. (2000). Translation initiation on picornavirus RNA. in: Sonenberg, N., Hershey, J.W.B., Mathews, M.B. (Eds.) *Translational control of gene expression*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, pp 869–900.

Blom, N., Hansen, J., Blaas, D., Brunak, S. (1996). Cleavage site analysis in picornaviral polyproteins: discovering cellular targets by neural networks. *Protein Sci.* 5, 2203-2216.

Boros, A., Nemes, C., Pankovics, P., Kapusinszky, B., Delwart, E., Reuter, G. (2013). Genetic characterization of a novel picornavirus in turkeys (*Meleagris gallopavo*) distinct from turkey galliviruses and megriviruses and distantly related to the members of the genus *Avihepatovirus*. *J. Gen. Virol.* 94, 1496–1509.

Boros, A., Pankovics, P., Knowles, N.J., Nemes, C., Delwart, E., Reuter, G. (2014a). Comparative complete genome analysis of chicken and turkey megriviruses (family *Picornaviridae*): long 3' untranslated regions with a potential second open reading frame and evidence for possible recombination. *J. Virol.* 88, 6434-6443.

Boros, A., Pankovics, P., Reuter, G. (2014b). Avian picornaviruses: Molecular evolution, genome diversity and unusual genome features of a rapidly expanding group of viruses in birds. *Infect. Genet. Evol.* 28, 151–166.

Gromeier, M., Wimmer, E., Gorbalenya, A.E. (1999). Chapter 12: Genetics, pathogenesis and evolution of Picornaviruses. In: Domingo, E., Webster, R. and Holland, J., (Eds.) *Origin and Evolution of Viruses*. Academic Press, New York. pp. 287–344

Hales, L.M., Knowles, N.J., Reddy, P.S., Xu, L., Hay, C., Hallenbeck, P.L. (2007). Complete genome sequence analysis of Seneca Valley virus-001, a novel oncolytic picornavirus. *J. Gen. Virol.* 89, 1265-1275.

Hall, T.A. (1999). BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. Nucl. Acids. Symp. Ser. 41, 95–98.

Honkavuori, K.S., Shivaprasad, H.L., Briese, T., Street, C., Hirschberg, D.L., Hutchison, S.K., Lipkin, W.I. (2011). Novel picornavirus in turkey poult with hepatitis, California, USA. Emerg. Infect. Dis. 17, 480–487.

Johansson, S., Niklasson, B., Maizel, J., Gorbalenya, A.E., Lindberg, A.M. (2002). Molecular analysis of three Ljungan virus isolates reveals a new, close-to-root lineage of the *Picornaviridae* with a cluster of two unrelated 2A proteins. J Virol.;76, 8920-8930.

Jones, D.T. (1999). Protein secondary structure prediction based on position-specific scoring matrices. J. Mol. Biol. 292, 195-202.

Knowles, N.J., Hovi, T., Hyypiä, T., King, A.M.Q., Lindberg, A.M., Pallansch, M.A., Palmenberg, A.C., Simmonds, P., Skern, T., Stanway, G., Yamashita, T., Zell, R., 2011. *Picornaviridae*. In: King, A.M.Q., Adams, M.J., Carstens, E.B., Lefkowitz, E.J. (Eds.), Virus Taxonomy: Classification and Nomenclature of Viruses: Ninth Report of the International Committee on Taxonomy of Viruses. Elsevier Academic Press, London, pp. 855–880.

Lau, S.K., Woo, P.C., Yip, C.C., Li, K.S., Fan, R.Y., Bai, R., Huang, Y., Chan, K.H., Yuen, K.Y. (2014). Chickens host diverse picornaviruses originated from potential interspecies transmission with recombination. J. Gen. Virol. 95, 1929-1944.

Lin, J.Y., Chen, T.C., Weng, K.F., Chang, S.C., Chen, L.L., Shih, S.R. (2009). Viral and host proteins involved in picornavirus life cycle. J. Biomed. Sci. 20;16:103.

Marchler-Bauer, A., Lu, S., Anderson, J.B., Chitsaz, F., Derbyshire, M.K., DeWeese-Scott, C., Fong, J.H., Geer, L.Y., Geer, R.C. & other authors (2011). CDD: a Conserved Domain Database for the functional annotation of proteins. Nucleic. Acids. Res. 39 (database issue), D225–D229.

Martin, D.P., Lemey, P., Lott, M., Moulton, V., Posada, D., Lefevre, P. (2010). RDP3: a flexible and fast computer program for analyzing recombination. Bioinformatics 26, 2462-2463.

Melnick, J.L. (1996). Current status of poliovirus infections. Clin. Microbiol. Rev. 9, 293-300.

Ng, T.F., Cheung, A.K., Wong, W., Lager, K.M., Kondov, N.O., Cha, Y., Murphy, D.A., Pogranichniy, R.M., Delwart, E. (2013). Divergent picornavirus from a Turkey with gastrointestinal disease. Genome Announc. 2, e00134–13.

Nicholas, K. B., Nicholas, H.B. (1997). GeneDoc: a tool for editing and annotating multiple sequence alignments. National Resource for Biomedical Supercomputing. <http://iubio.bio.indiana.edu/soft/molbio/ibmpc/genedoc-readme.html>. (utoljára belépve 2014.12.22).

OIE, 2010. Chapter 2.3.8.: Duck virus hepatitis. In Manual of Diagnostic Tests & Vaccines for Terrestrial Animals, 7th ed., Paris: OIE (Office International des Epizooties). http://www.oie.int/fileadmin/Home/eng/Health_standards/tahm/2.03.08_DVH.pdf (utoljára belépve 2014.12.22).

Palmenberg, A., Neubauer, D., Skern, T. (2010). Chapter 1: Genome organization and encoded proteins, in: Ehrenfeld, E., Domingo, E., Roos, R.P. (Eds.), The Picornaviruses. ASM Press, Washington, DC. pp. 3-17.

Phan, T.G., Vo, N.P., Boros, A., Pankovics, P., Reuter, G., Li, O.T., Wang, C., Deng, X., Poon, L.L., Delwart, E. (2013). The Viruses of Wild Pigeon Droppings. PLoS ONE 8, e72787. doi:10.1371/journal.pone.0072787

Reuter, G., Pankovics, P., Knowles, N.J., Boros, A. (2012). Two closely related novel picornaviruses in cattle and sheep in Hungary from 2008 to 2009, proposed as members of a new genus in the family *Picornaviridae*. J. Virol. 86, 13295–13302.

Rohll, J.B., Moon, D.H., Evans, D.J., Almond, J.W. (1995). The 3' untranslated region of picornavirus RNA: features required for efficient genome replication. J. Virol. 69, 7835–7844.

Simmonds, P. (2006). Recombination and selection in the evolution of picornaviruses and other Mammalian positive-stranded RNA viruses. J. Virol. 80, 11124-11140.

- Stanway, G. (1990). Structure, function and evolution of picornaviruses. *J. Gen. Virol.* 171, 2483-2501.
- Stewart, S.R., Semler, B.L. (1997). RNA Determinants of picornavirus cap-independent translation initiation. *Semin. Virol.* 8: 242–255.
- Sweeney, T.R., Dhote, V., Yu, Y., Hellen, C.U.T. (2012). A distinct class of internal ribosomal entry site in members of the *Kobuvirus* and proposed *Salivirus* and *Paraturdivirus* genera of the *Picornaviridae*. *J. Virol.* 86, 1468-1486.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A., Kumar, S., (2013). MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. *Mol. Biol. Evol.* 30, 2725-2729.
- Tapparel, C., Junier, T., Gerlach, D., Van-Belle, S., Turin, L., Cordey, S., Mühlemann, K., Regamey, N., Aubert, J.D., Soccal, P.M., Eigenmann, P., Zdobnov, E., Kaiser, L. (2009). New respiratory enterovirus and recombinant rhinoviruses among circulating picornaviruses. *Emerg. Infect. Dis.* 15, 719-726.
- Tengs, T., Kristoffersen, A.B., Bachvaroff, T.R., Jonassen, C.M. (2013). A mobile genetic element with unknown function found in distantly related viruses. *Virol. J.* 25 (10), 132.
- Thompson, J.D., Higgins, D.G., Gibson, T.J. (1994). CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic. Acids. Res.* 22, 4673-4680.
- Tseng, C.H., Knowles, N.J., Tsai, H.J. (2007). Molecular analysis of type 1 duck hepatitis virus indicated that it should be assigned to a new genus. *Virus Res.* 123, 190–203.
- Wang, X., Liu, N., Wang, F., Ning, K., Li, Y., Zhang, D. (2014). Genetic characterization of a novel duck-origin picornavirus with six 2A proteins. *J. Gen. Virol.* 95, 1289-1296.
- Zucker, M. (2003). Mfold web server for nucleic acid folding and hybridization prediction. *Nucleic. Acids. Res.* 31, 3406-3415.

Köszönetnyilvánítás:

Témavezetőmnek, Dr. Boros Ákosnak tudományos diákköri feladataim lelkiismeretes szakmai felügyeletéért.

Dr. Reuter Gábornak és Dr. Pankovics Péternek az eredmények interpretálásában nyújtott segítségükért.


Dr. Nemes Csabának a délnyugat-magyarországi házityúk kloákamintáért.

Dr. Molnár Lászlónak és Dr. Pollák Editnek önzetlen támogatásukért és a dolgozat javításáért.

Tételes szerzői hozzájárulás

Alulírott **Adonyi Ádám** a dolgozatban leírt munkafolyamatok közül a:

- totál RNS kivonást,
- az oligonukleotid primerek tervezését,
- a reverz transzkripció reakciókat
- a standard-, long-, és 3' / 5' RACE PCR reakciókat,
- a PCR termékek agaróz gélben történő elektroforézisét
- a PCR termékek tisztítását és direkt szekvenálási reakcióit
- a nukleotid (és aminosav) szekvenciák illesztését, filogenetikai, hasonlósági és másodlagos RNS struktúrális elemzését végeztem el.



Pécs, 2015. január. 6.