

Köszönetnyilvánítás

A csapdázásokat a Balaton-felvidéki Nemzeti Park Igazgatósága támogatta. Köszönet illeti Dr. Horváth Győző témavezetőnket, aki tanácsaival segített a dolgozatunk megírásában. Továbbá szintén köszönet illeti hallgatótársainkat, akik részt vettek a terepi mintavételezésekben.

Irodalomjegyzék

- ALEJŪNAS, P. & STIRKĖ, V. 2010: Small mammals in northern Lithuania: species diversity and abundance. *Ekologija* 56 (3-4): 110-115.
- ANDERSEN, D.C., WILSON, K.R., MILLER, M.S. & FALCK, M. 2000: Movement patterns of riparian small mammals during predictable floodplain inundation. *Journal of Mammalogy* 81: 1087-1099.
- ANDRÉN, H. 1994: Effects of habitat fragmentation on birds and mammals in landscapes with different proportions of suitable habitat: a review. *Oikos* 71: 355-366.
- BALČIAUSKAS, L., BALČIAUSKIENĖ, L. & BALTRŪNAITĖ, L. 2010: Root vole, *Microtus oeconomus*, in Lithuania: changes in distribution range. *Folia zoologica* 59 (4): 267-277.
- BALCOMBE, S.R., BUNN, S.E., MCKENZIE-SMITH, F.J. & DAVIES, P.E. 2005: Variability of fish diets between dry and flood periods in an arid zone floodplain river. *Journal of Fish Biology* 67: 1552-1567.
- BÁLDI, A., CSORBA, G. & KORSÓS, Z. 1995. Setting priorities for the conservation of wildlife species in Hungary: a preliminary report. Pp 633-636. In: Bissonette, J.A. & Krausman, P.R. (eds). *Integrating People and Wildlife for a Sustainable Future*. Proceedings of the first International Wildlife Management Congress. The Wildlife Society, Bethesda, Maryland, USA.
- BÁLDI, A., CSORBA, G. & KORSÓS, Z. 2001. Setting priorities for the conservation of terrestrial vertebrates in Hungary. *Biodiversity and Conservation* 10: 1283-1296.
- BÁLDI, A., MOSKÁT, C., PALKÓ, S. & GÁTI, E. 1999: Effects of reconstruction works on the breeding birds of the Kis-Balaton. *Vogelwelt* 120: Suppl. 273-276.
- BOBBINK, R., BELTMAN, B., VERHOEVEN, J.T.A. & WHIGHAM, D.É.F. (eds.) 2006: Wetlands: Functioning, Biodiversity Conservation, and Restoration. Springer-Verlag Berlin Heidelberg, 315 pp.

- BOYCE, M.S. 1992: Population viability analysis. *Annual Reviews in Ecology and Systematics* 23: 481-506.
- BRONMARK, C. & HANSSON, L.A. 2002: Environmental issues in lakes and ponds: current state and perspectives. *Environmental Conservation* 29: 290-306.
- CZAJKOWSKA, M., BORKOWSKA, A. & WIECZOREK, M. 2010: Application of microsatellite markers developed for arvicoline species in a population genetic study of the root vole *Microtus oeconomus*. *Acta Theriologica* 55: 123-128.
- DIAMOND, J.A. 1989: The present, past and future human caused extinctions. *Phil. Trans. R. Soc. Lond. B*, 325: 469-477.
- EPPINK, F.V., VAN DEN BERGH, J.C.J.M. & RIETVELD, P. 2004: Modelling biodiversity and land use: urban growth, agriculture and nature in a wetland area. *Ecological Economics* 51: 201-216.
- FAHRIG, L. & MERRIAM, G. 1985: Habitat patch connectivity and population survival. *Ecology* 66: 1762-1768.
- FOSTER, J. & GAINES, M.S. 1991: The effects of a successional habitat mosaic on a small mammal community. *Ecology* 72: 1358-73.
- FREDERICKSON, L.H. & LAUBHAN, M.K. 1994: Managing wetlands for wildlife. In: Bookhout, T.A. (ed.) *Research and management techniques for wildlife and habitats*. Fifth ed. The Wildlife Society, Bethesda, Md. pp. 623-647.
- GAINES, M.S., ROBINSON, G.R., DIFFENDORFER, J.E., HOLT, R.D. & JOHNSON, M.L. 1992: The effects of habitat fragmentation on small mammal populations. In McCullough, D.R. and Barret, R.H. *Wildlife 2001: Populations*, Elsevier, Barking, pp. 875-85.
- GEE, J.H.R. & GILLER, P.S. 1987: *Organization of Communities: Past and Present*. Blackwell Scientific Publications, Oxford, UK. 588 pp.
- GIBBONS, J.W. 2003: Terrestrial habitat: a vital component for herpetofauna of isolated wetlands. *Wetlands*, pp 630-635.
- GIBBS, J.P. 1993: Importance of small wetlands for persistence of local populations of wetland-associated animals. *Wetlands* 13: 25-31.
- GIBBS, J.P. 2000: Wetland Loss and Biodiversity Conservation. *Conservation Biology* 14: 314-317.
- GLIWICZ, J. & DABROWSKI, M.J. 2008: Ecological factors affecting the diel activity of voles in a multi-species community. *Annales Zoologici Fennici* 45: 242-247.


- GLIWICZ, J. & JANCEWICZ, E. 2004: Voles in river valleys. In: Jędrzejewska B. & Wójcik J. M. (eds.) Essays on mammals of Białowieża Forest. Białowieża: Mammal Research Institute; pp. 139-149.
- GLORVIGEN, P., ANDREASSEN, H.P. & IMS, R.A. 2013: Local and Regional Determinants of Colonisation-Extinction Dynamics of a Riparian Mainland-Island Root Vole Metapopulation. *Plos One* 8(2): e56462
- GUBÁNYI, A., HORVÁTH, G. & MÉSZÁROS, F. 2004: Az északi pocok (*Microtus oeconomus*) populációk hazai kutatottsága. *Természetvédelmi Közlemények* 11:571-586.
- HAMMER, M.F., REDD, A.J., WOOD, E.T., BONNER, M.R., JARJANAZI, H., KARAFET, T., SANTACHIAR, A., BENERECETTI, S., OPPENHEM, A., JOBLING, M.A., JENKINS, T., OSTRER, H. & BONNE-TAMIR B. 2000: Jewish and Middle Eastern non Jewish populations share a common pool of Y chromosome haplotypes. *Proc. Natl. Acad. Sci.* 97: 6769-6774.
- HANSKI, I. & GILPIN, M.E. 1991: Metapopulation dynamics: brief history and conceptual domain. *Biological Journal of the Linnean Society* 42: 3-16.
- HARRIS, L.D. 1984: The fragmented forest. University of Chicago Press, Chicago
- HORVÁTH, G.F., HORVÁTH, B, SALI, N. & HERCZEG, R. 2012: Community-level response to different human disturbances and land use of small mammals in two marshland habitat pathces in Hungary. *Archives of Biological Sciences* 64(2): 613-628.
- HORVÁTH, GY. 2004: Az északi pocok (*Microtus oeconomus*) populáció monitorozása a Kis-Balaton területén. *Állattani Közlemények* 89(2): 5-16.
- HORVÁTH, GY. & HERCZEG, R. 2013: Site occupancy response to natural and anthropogenic disturbances of root vole: Conservation problem of a vulnerable relict subspecies *Journal for Nature Conservation* 21: 350-358.
- JANTKE, K. & SCHNEIDER, U.A. 2010: Multiple-species conservation planning for European wetlands with different. *Biological Conservation* 143: 1812-1821.
- KRIŠTOFÍK, J. 2001: Small mammal communities in reed stands. *Biologia* 56: 557-563.
- LANSZKI, J. és ROZNER, GY. 2007: Kisemlősök vizsgálata, különös tekintettel az északi pocok (*Microtus oeconomus ssp. mehelyi* (ÉHÍK, 1928) elterjedése a Balatoni Nagybereken. *Natura Somogyiensis* 10: 365-372.
- LEHTINEN, E., HAKKARAINEN, K., LIPPONEN, L., RAHIKAINEN, M. & MUUKKONEN, H. 1999: *Computer supported collaborative learning: A review*. The J.H.G.I. Giesbers Reports on Education. Department of Educational Sciences. University on Nijmegen.

- LEIBOWITZ, S.G. 2003: Isolated wetlands and their functions: An Ecological Perspective. 23(3): 517-531.
- LELKES, A. & HORVÁTH, GY. 2000: Adatok a Kis-Balaton kisemlős faunájához, különös tekintettel az északi pocok (*Microtus oeconomus*) előfordulására Data to the small mammal fauna of Kis-Balaton, with special emphasis on the occurrence of the root vole (*Microtus oeconomus*). *Somogyi Múzeumok Közleményei* 14: 359-366.
- MACDONALD, D. & BARRETT, P. 1993: Collins field guide to mammals of Britain and Europe. Harper Collins Publications pp. 384.
- MICHELAT, D. & GIRAUDOUX, P. 2006: Synchrony between small mammal population dynamics in marshes and adjacent grassland in a landscape of the Jura plateau, France: a ten year investigation. *Acta Theriologica* 51(2): 155-162.
- MITSCH, W.J. & GOSSLENIK, J.G. 1986: Wetlands. Van Nostrand Reinhold. New York. N.Y. 537 pp.
- PACHINGER, K. & HAFERKORN, J. 1998: Comparison of the small mammal communities in floodplain forests at the Danube and Elbe rivers. *Ekológia* 17: 11-19.
- PIELOU, E.C. 1975: Ecological diversity. Wiley New York pp 165.
- POULIN, M., CAREAU, D., ROCHEFORT, L., DESROCHERS, A. 2002: From satellite imagery to peatland vegetation diversity: how reliable are habitat maps? *Conservation Ecology* 6(2): 16 p.
- REUTER, R.J. & ZOPHY, K. 2006: Using topography and understory plant community characteristics to prioritize the management of western juniper (*Juniperus occidentalis*). *Ecological Restoration* 24: 280-281.
- ROBINSON, C.T., TOCKNER, K. & WARD, J.V. 2002: The fauna of dynamic riverine landscapes. *Freshwater Biology* 47: 661-677.
- SCHMIDT, E. 1967: Bagolyköpetvizsgálatok. *A Madártani Intézet Kiadványa*, Budapest, 130 pp.
- SCOTT, D.M., JOYCE, C.B. & BURNSIDE, N.G. 2008: The influence of habitat and landscape on small mammals in Estonian coastal wetlands. *Estonian Journal of Ecology* 57(4): 279-295.
- SMITH, F.D.M., MAY, R.M., PELLEW, R., JOHNSON, T.H. & WALTER, K.R. 1993: How much do we know about the current extinction rate? *TREE* 8: 375-378.
- SOULÉ, M.E., (eds) 1986: Conservation biology: the science of scarcity and diversity. Sinauer Press, Sunderland, Massachusetts


- SOUTHWOOD, T.R.E. 1996: Natural communities: structure and dynamics. *Phil. Trans. Roy. Soc. L. Series B* 351: 1113-1129.
- STENSETH, N.C. 1980: Spatial heterogeneity and population stability: Some evolutionary consequences. *Oikos* 35: 165-84.
- TOUSIGNANT, M. 2010: Suicide and gambling: Psychopathology and treatment-seeking. *Psychology of Addictive Behaviors* 24(3): 541-547.
- VERBOOM, J., ALKEMADE, R., KLIJN, J., METZGER, M.J. & REIJNEN, R. 2006: Combining biodiversity modelling with political and economic development scenarios for 25 EU countries. *Ecological Economics* 62: 267-276.
- WEIHER, E. & KEDDY, P. 1999: Ecological Assembly Rules: Perspectives, Advances, Retreats. Cambridge University Press, Cambridge. pp. 16-432.
- WILCOX, B.A. & MURPHY, D.D. 1985: Conservation strategy: the effects of fragmentation on extinction. *American Naturalist* 125: 879-887.
- WILSON, E.O. 1988: The current state of biological diversity. – In: Wilson, E.O. (ed.): Biodiversity – National Academy Press, Washington D.C. pp. 3-18.
- WOLFF, J.O. 1999: Behavioral model systems. *Springer Verlag*, New York, pp. 11-40.
- ZAR, J.H. 2010: Biostatistical Analysis. 5th Edition. Pearson Prentice-Hall, Upper Saddle River, NJ. 944 pp.
- ZHANG, Z. & USHER, M.B. 1991: Dispersal of wood mice and bank voles in an agricultural landscape. *Acta Theriologica* 36: 239- 245.
- ZUB, K., JĘDRZEJEWSKA, B., JĘDRZEJEWSKI, W. & BARTOŃ, K.A. 2012: Cyclic voles and shrews and non-cyclic mice in a marginal grassland within European temperate forest. *Acta Theriologica* 57: 205-216.

Függelék


Balatoni-berek




Halász-rét




Keleti-berek



Zimányi-berek




Zimányi-terelőtöltés




8. ábra: A fajok hierarchikus osztályozása az egyes mintavételi területek fajkompozíciója és a fajok relatív gyakorisága alapján

Június

Euklidészi távolság




Jaccard távolság




Július

Euklidészi távolság




Jaccard távolság




Augusztus

Euklidészi távolság



Jaccard távolság



9. ábra: A területekre vonatkoztatott kisméltós együttesek hierarchikus osztályozása a fajkompozíciója és a fajok relatív gyakorisága alapján