

Köszönetnyilvánítás

A Kőszegi-forrás Erdőrezervátum területén végzett kisemlős monitorozást a Duna-Dráva Nemzeti Park Igazgatósága támogatta. Köszönjük Dr. Horváth Győző témavezetőnek a dolgozat elkészítésében nyújtott segítségét és tanácsait. Továbbá köszönet illeti hallgató társainkat, akik a terepi mintavételezésben segítettek. Köszönjük Dr. Jakab Ferencek és a PTE SzKK Virologiai Kutatócsoport tagjainak a vérminták feldolgozását és szakmai tanácsait.

Irodalomjegyzék

- AVSIC-ZUPANC, T., XIAO, S-Y., STOJANOVIC, R., GLIGIC, A., GROEN, VAN DER G. & LEDUC, J. (1992) Characterization of Dobrava virus: A hantavirus from Slovenia, Yugoslavia *Journal of Medical Virology*
- BAXBY, D. & BENNETT, M. (1999) Cowpox virus (Poxviridae). Encyclopedia of Virology, 2nd edn (eds R.G. WEBSTER & GRANOFF), pp. 298–304. *Academic Press*, London.
- BEGON, M., BENNETT, M., BOWERS, R. G., FRENCH, N. P., HAZEL, S. M. & TURNER, J. (2002) A clarification of transmission terms in host-microparasite models: numbers, densities and areas *Epidemiology and Infection* 129: 147-153.
- BEGON, M., HAZEL, S. M., BAXBY, D., BOWN, K., CAVANAGH, R., CHANTREY, J., JONES, T. & BENNETT, M. (1999) Transmission dynamics of a zoonotic pathogen within and between wildlife host species. *Proceedings of the Royal Society of London. Series B: 1939-1945.*
- BOONSTRA & KREBS 1978: Demography of the spring decline in populations of the vole, *Microtus townsendii*. *The Journal of Animal Ecology*
- BREHME, C. S., DAVID, A. W. M., HINES, J. E., NICHOLS, J. D., FISHER, R. N. 2011: Joint estimation of habitat dynamics and species interactions: disturbance reduces co-occurrence of non-native predators with an endangered toad. *Journal of Animal Ecology*
- BRZEZINSKI M. , JEDRZEJEWSKI W. , JEDRZEJEWSKA B. (1992) Winter home ranges and movements of polecats *Mustela putorius* in Białowieża Primeval Forest, Poland. *Acta Theriologica*
- CAREY, A. B., HORTON, S. P. & BISWELL, B. L. 1992: Northern spotted owls: influence of prey base and landscape character. *Ecological Monograph* 62: 223–250.

- CHANTREY, J., MEYER, H., BAXBY, D., BEGON, M., BOWN, K., FEORE, S., JONES, T., MONTGOMERY, W. I. & BENNETT, M. (1999) Cowpox: reservoir hosts and geographic range. *Epidemiology and Infection* 122: 455–460.
- COMBES, C. (1997) Fitness of parasites: pathology and selection. *International Journal of Parasitology* 27: 1–10.
- GOSZCZYNSKI, J. (1974) Diet of foxes and martens in central Poland. *Acta Theriologica*
- GRENFELL, B. T. & DOBSON, A. P. (1995) Ecology of Infectious Diseases in Natural Populations. *Cambridge University Press*, Cambridge.
- GULLAND, F. M. D. (1995) Impact of infectious diseases on wild animal populations: a review. Ecology of Infectious Diseases in Natural Populations (EDS B.T. GRENFELL & A.P. DOBSON), pp. 20–51. *Cambridge University Press*, Cambridge.
- GUO, W-P., LIN, W. W., TIAN, J-H., CONG, M-L., ZHANG, H-L., WANG, M-R., ZHOU, R-H., WANG, J-B., LI, M-H., XU, J., HOLMES, E. C. & ZHANG, Y-Z. (2013) PLoS Pathogens 9(2): e1003159. doi:10.1371/journal.ppat.1003159
- HARVELL, C. D., MITCHELL, C. E., WARD, J. R., ALTIZER, S., DOBSON, A. P., OSTFELD, R. S. & SAMUEL, M. D. (2002) Climate warming and disease risks for terrestrial and marine biota. *Science* 296: 2158–2162.
- HOPP, M. J. & FOLEY, J. A. (2003) Worldwide fluctuations in dengue fever cases related to climate variability. *Climate Research* 25: 85–94.
- JAKAB, F., HORVÁTH, GY., FERENCZI, E., SEBŐK, J., VARECZA, Z. & SZÜCS, GY. (2007) Detection of Dobrava hantaviruses in Apodemus agrarius mice in the Transdanubian region of Hungary. *Virus Research* 128: 149–152.
- JAKAB F., NÉMETH, V., OLDAL, F., MADAI, M., HORVÁTH, GY., KEMENESI, G., DALLOS, B. & BÁNYAI, K. (2013) Molecular characterization of Dobrava and Kurkino genotypes of Dobrava-Belgrade hantavirus detected in Hungary and Northern Croatia. *Virus Genes* 47: 546–549.
- KARBOWIAK, G., RYCHLIK, L., NOWAKOWSKI, W. & WITA, I. (2005) Natural infections of small mammals with blood parasites on the borderland of boreal and temperate forest zones. *Acta Theriologica* 50 (1): 31–42.
- KREBS 1966: Demographic Changes in Fluctuating Populations of *Microtus californicus*. *Ecological Monographs*
- LEBERTON, J. D., BURNHAM, K. P., CLOBERT, J. & ANDERSON, D. R. 1992: Modeling survival and testing biological hypotheses using marked animals: case studies and recent advances. *Ecological Monographs* 62: 67–118.

- LEE H. W., LEE P. W. & JOHNSON, K. M. (1978) Isolation of the etiologic agent of Korean Hemorrhagic fever. *Journal of Infectious Diseases* 137 (3): 298-308.
- MILLS, J. N. (2006) Transmission dynamics of a zoonotic pathogen within and between wildlife host species. *Biodiversity* 7 (1): 9-17.
- NICHOLS & POLLOCK 1983: Estimation methodology in contemporary small mammal capture-recapture. *Journal of Mammalogy*
- NICHOLS, J. D. 1992: Capture-recapture models using marked animals to study population dynamics. *BioScience* 42 (2): 94-102.
- PANZACCHI, M., LINNELL, J. D. C., MELIS, C., ODDEN, M., ODDEN J., GORINI L. & ANDERSEN, R. (2010) Effect of land-use on small mammal abundance and diversity in a forest–farmland mosaic landscape in south-eastern Norway. *Forest Ecology and Management* 259: 1536–1545.
- PARDINI, R., DE SOUZA, S. M., BRAGA-NETO, R. & METZGER, J. P. 2005: The role of forest structure, fragment size and corridors in maintaining small mammal abundance and diversity in an Atlantic forest landscape. *Biological Conservation* 124: 253–266.
- PARMENTER, C. A., YATES, T. L., PARMENTER, R. R. & DUNNUM, J. L. (1999) Statistical sensitivity for detection of spatial and temporal patterns in rodent population densities. *Emerging Infectious Diseases* 5: 118-25.
- PARMENTER, C. A., YATES, T. L., PARMENTER, R. R., MILLS, J. N., CHILDS, J. E. & CAMPBELL, M. L. (1998) Small mammal survival and trapability in mark-recapture monitoring programs for hantavirus. *Journal of Wildlife Diseases* 34: 1-12.
- PASCUAL, M., AHUMADA, J. A., CHAVES, L. F., RODO´, X. & BOUMA, M. (2006) Malaria resurgence in the East African highlands: temperature trends revisited. *Proceedings of the National Academy of Sciences of the United States of America* 103: 5829–5834.
- PATZ, J. A., CAMPBELL-LENDRUM, D., HOLLOWAY, T. & FOLEY, J. A. (2005) Impact of regional climate change on human health. *Nature* 438: 310–317.
- PEARCE, J. & VENIER, L. 2005: Small mammals as bioindicators of sustainable boreal forest management. *Forest Ecology and Management* 208: 153–175.
- PETRUSEWICZ & ANDRZEJEWSKI 1962: Natural History of a Free-living Population of House Mice (*Mus Musculus* Linnaeus) with Particular Reference to Grouping Within the Population
- POLLOCK, K. H. 1982: A capture- recapture design robust to unequal probability of capture. *Journal of Wildlife Management* 46: 757-760.

- RÁCZ & SALLER 2013: A befogási sikert korlátozó tényezők hatásának vizsgálata a sárganyakú erdeieger (*Apodemus flavicollis*) populáció gyarapodási paramétereire. XIV. OTDK Biológia Szekció
- REIDSMA, P., TEKELENBURG, T., VAN DEN BERG, M. & ALKEMADE, R. (2006) Impacts of landuse change on biodiversity: An assessment of Agricultural biodiversity in the European Union. *Agriculture, Ecosystems and Environment* 114: 86–102.
- RUEDAS, L. A., SALAZAR-BRAVO, J., TINNIN, D. S., ARMIÉN, B., CÁCERES, L., GARCIA, A., DÍAZ, M. A., GRACIA, F., SUZÁN, G., PETERS, C. J., YATES, T. L. & MILLS, J. N. (2004). Community ecology of small mammal populations in Panamá following an outbreak of Hantavirus pulmonary syndrome. *Journal of Vector Ecology* 29 (1): 177-191.
- SCOTT, M. E. (1988) The impact of infection and disease on animal populations: implications for conservation biology. *Conservation Biology* 2: 40–56.
- SLADE & BLAIR 2000: An empirical test of using counts of individuals captured as indices of population size. *Journal of Mammalogy*
- TADIN, A., TURK, N., KORVA, M., MARGELATIC, J., BECK, R., VUCELJA, M., HABUS, J., SVOBODA, P., ZUPANC, T. A., HENTTONEN, H. & MARKOTIC, A. (2012) Multiple Co-infections of Rodents with Hantaviruses, *Leptospira*, and *Babesia* in Croatia. *Vector-Borne and Zoonotic Diseases* 12 (5): 388-392.
- ZAR, J. H. 2010: Biostatistical Analysis. 5th Edition. Pearson Prentice-Hall, Upper Saddle River, NJ. 944 pp.

Függelék

1. táblázat: A lefuttatott Robust Design Occupancy modellek és AIC_c statisztikai értékeik az *A. flavicollis* puffterület esetében

Modell	AIC_c	w	n_{par}	deviancia
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(.)}, p_{(t)}$	280.523	1.00000	33	139.723
$\Psi_{(.)}, \varepsilon_{(t)}, \gamma_{(.)}, p_{(t)}$	341.804	0.00000	39	133.804
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(t)}, p_{(t)}$	344.200	0.00000	39	136.200
$\Psi_{(.)}, \varepsilon_{(t)}, \gamma_{(t)}, p_{(t)}$	446.568	0.00000	45	126.568

2. táblázat: A lefuttatott Robust Design Occupancy modellek és AIC_c statisztikai értékeik az *A. flavicollis* magterület esetében

Modell	AIC_c	w	n_{par}	deviancia
$\Psi_{(.)}, \varepsilon_{(t)}, \gamma_{(t)}, p_{(t)}$	-510.606	1.00000	45	89.394
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(t)}, p_{(t)}$	172.029	0.00000	39	94.029
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(.)}, p_{(t)}$	539.798	0.00000	33	99.798

3. táblázat: A lefuttatott Robust Design Occupancy modellek és AIC_c statisztikai értékeik az *M. glareolus* puffterület esetében

Modell	AIC_c	w	n_{par}	deviancia
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(.)}, p_{(t)}$	313.711	0.99981	10	288.823
$\Psi_{(.)}, \varepsilon_{(t)}, \gamma_{(.)}, p_{(t)}$	330.823	0.00019	15	288.823
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(t)}, p_{(t)}$	417.759	0.00000	33	249.759
$\Psi_{(.)}, \varepsilon_{(t)}, \gamma_{(t)}, p_{(t)}$	428.722	0.00000	34	247.389
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(t)}, p_{(t)}$	483.430	0.00000	37	253.208
$\Psi_{(.)}, \varepsilon_{(t)}, \gamma_{(t)}, p_{(t)}$	520.389	0.00000	39	247.389

4. táblázat: A lefuttatott Robust Design Occupancy modellek és AIC_c statisztikai értékeik az *M. glareolus* magterület esetében

Modell	AIC_c	w	n_{par}	deviancia
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(t)}, p_{(t)}$	-1137.869	1.00000	36	122.131
$\Psi_{(.)}, \varepsilon_{(t)}, \gamma_{(.)}, p_{(t)}$	-545.430	0.00000	38	119.570
$\Psi_{(.)}, \varepsilon_{(t)}, \gamma_{(t)}, p_{(t)}$	-350.602	0.00000	40	116.065
$\Psi_{(.)}, \varepsilon_{(.)}, \gamma_{(.)}, p_{(t)}$	2434.107	0.00000	33	124.107