

6. Forrásjegyzék

1. KUCZMARSKI, R. J., K. M. FLEGAL, S. M. CAMPBELL, AND C. L. JOHNSON. Increasing prevalence of overweight among S adults. The National Health and Nutrition Examination Surveys, 1960 to 1991. *JAMA* 272: 205–211, 1994.
2. CAMPFIELD, L. A., F. J. SMITH, AND P. BURN. The OB protein (leptin) pathway—a link between adipose tissue mass and central neural networks. *Horm. Metab. Res.* 28: 619–632, 1996.
3. MASLOWSKA, M., A. D. SNIDERMAN, R. GERMINARIO, AND K. CIANFLONE. ASP stimulates glucose transport in cultured human adipocytes. *Int. J. Obesity Related Metab. Disorders* 21: 261–266, 1997.
4. PETRUSCHKE, T., AND H. HAUNER. Tumor necrosis factor- α prevents the differentiation of human adipocyte precursor cells and causes delipidation of newly developed fat cells. *J. Clin. Endocrinol. Metab.* 76: 742–747, 1993.
5. HIROKAWA, J., S. SAKAUE, S. TAGAMI, Y. KAWAKAMI, M. SAKAI, S. NISHI, AND J. NISHIHARA. Identification of macrophage migration inhibitory factor in adipose tissue and its induction by tumor necrosis factor- α . *Biochem. Biophys. Res. Commun.* 235: 94–98, 1997.
6. JONSSON, J. R., P. A. GAME, R. J. HEAD, AND D. B. FREWIN. The expression and localisation of the angiotensin-converting enzyme mRNA in human adipose tissue. *Blood Pressure* 3: 72–75, 1994.
7. FREDERICH, R. C., JR., B. B. KAHN, M. J. PEACH, AND J. S. FLIER. Tissue-specific nutritional regulation of angiotensinogen in adipose tissue. *Hypertension* 19: 339–344, 1992.
8. DESNOYERS, F., AND N. VODOVAR. Etude histologique comparee chez le porc at le rat du tissue adipeux perirenal au stade de son apparition. *Biol. Cell* 29: 177–182, 1977.
9. SLAVIN, B. G. Fine structural studies on white adipocyte differentiation. *Anat. Rec.* 195: 63–72, 1979.
10. FAUST, I. M., W. H. MILLER, JR., A. SCLAFANI, P. F. ARAVICH, J. TRISCARI, AND A. C. SULLIVAN. Diet-dependent hyperplastic growth of adipose tissue in hypothalamic obese rats. *Am. J. Physiol.* 247 (Regulatory Integrative Comp. Physiol. 16): R1038–R1046, 1984.
11. REYNE, Y., J. NOUGUES, AND J. P. DULOR. Differentiation of rabbit adipocyte precursor cells in a serum-free medium. *In Vitro Cell. Dev. Biol.* 25: 747–752, 1989.
12. GREEN, H., AND O. KEHINDE. An established preadipose cell line and its differentiation in culture. II. Factors affecting the adipose conversion. *Cell* 5: 19–27, 1975.
13. DANI, C., A. G. SMITH, S. DESSOLIN, P. LEROY, L. STACCINI, P. VILLAGEOIS, C. DARIMONT, AND G. AILHAUD. Differentiation of embryonic stem cells into adipocytes in vitro. *J. Cell Sci.* 110: 1279–1258, 1997.
14. GREEN, H., AND O. KEHINDE. Formation of normally differentiated subcutaneous fat pads by an established preadipose cell line. *J. Cell. Physiol.* 101: 169–171, 1979.
15. KIRKLAND, J. L., C. H. HOLLENBERG, AND W. S. GILLON. Age, anatomic site, and the replication and differentiation of adipocyte precursors. *Am. J. Physiol.* 258 (Cell Physiol. 27): C206–C210, 1990.
16. BJORNTORP, P., M. KARLSSON, AND P. PETTERSSON. Expansion of adipose tissue storage capacity at different ages in rats. *Metabolism* 31: 366–373, 1982.
17. DESLEX, S., R. NEGREL, AND G. AILHAUD. Development of a chemically defined serum-free medium for differentiation of rat adipose precursor cells. *Exp. Cell Res.* 168: 15–30, 1987.
18. GREGOIRE, F., N. DE BROUX, N. HAUSER, H. HEREMANS, J. VAN DAMME, AND C. REMACLE. Interferon- γ and interleukin-1 β inhibit adipogenesis in cultured rodent preadipocytes. *J. Cell. Physiol.* 151: 300–309, 1992.
19. MOUSTAID, N., AND H. S. SUL. Regulation of expression of the fatty acid synthase gene in 3T3-L1 cells by differentiation and triiodothyronine. *J. Biol. Chem.* 266: 18550–18554, 1991.
20. VANDERSTRAETEN-GREGOIRE, F. *La Differentiation In Vitro des Precurseurs des Cellules Adipeuses de Rat* (PhD thesis). Louvain: Universite Catholique de Louvain, 1989.
21. UMEK, R. M., A. D. FRIEDMAN, AND S. L. MCKNIGHT. CCAAT-enhancer binding protein: a component of a differentiation switch. *Science* 251: 288–292, 1991.

22. PAIRAULT, J., AND H. GREEN. A study of the adipose conversion of suspended 3T3 cells by using glycerophosphate dehydrogenase as differentiation marker. *Proc. Natl. Acad. Sci. USA* 76: 5138–5142, 1979.
23. SHUGART, E. C., A. S. LEVENSON, C. M. CONSTANCE, AND R. M. UMEK. Differential expression of *gas* and *gadd* genes at distinct growth arrest points during adipocyte development. *Cell Growth Differ.* 6: 1541–1547, 1995.
24. AILHAUD, G. Early adipocyte differentiation. *Biochem. Soc. Trans.* 24: 400–402, 1996.
25. CRYER, A. Tissue lipoprotein lipase activity and its action in lipoprotein metabolism. *Int. J. Biochem.* 13: 525–541, 1981.
26. AMRI, E. Z., C. DANI, A. DOGLIO, J. ETIENNE, P. GRIMALDI, AND G. AILHAUD. Adipose cell differentiation: evidence for a two-step process in the polyamine-dependent Ob1754 clonal line. *Biochem. J.* 238: 115–122, 1986.
27. CRYER, A., F. S. WUSTEMAN, AND J. J. CASEY. Glycosaminoglycan:cell interactions; their role in lipoprotein lipase secretion from isolated cardiac muscle cells. *Cell Biochem. Funct.* 2: 53–56, 1984.
28. BRUN, R. P., J. B. KIM, E. HU, S. ALTIOK, AND B. M. SPIEGELMAN. Adipocyte differentiation: a transcriptional regulatory cascade. *Curr. Opin. Cell Biol.* 8: 826–832, 1996.
29. AMRI, E. Z., F. BONINO, G. AILHAUD, N. A. ABUMRAD, AND P. A. GRIMALDI. Cloning of a protein that mediates transcriptional effects of fatty acids in preadipocytes. Homology to peroxisome proliferator-activated receptors. *J. Biol. Chem.* 270: 2367–2371, 1995.
30. MASUZAKI, H., Y. OGAWA, N. ISSE, N. SATOH, T. OKAZAKI, M. SHIGEMOTO, K. MORI, N. TAMURA, K. HOSODA, Y. YOSHIMASA, AND A. ET. Human obese gene expression. Adipocyte-specific expression and regional differences in the adipose tissue. *Diabetes* 44: 855–858, 1995.
31. LANE, M. D., F. T. LIN, O. A. MACDOUGALD, AND M. VASSEUR-COGNET. Control of adipocyte differentiation by CCAAT/enhancer binding protein alpha (C/EBP alpha). *Int. J. Obesity Related Metab. Disorders* 20, Suppl.: S91–S96, 1996.
32. KIM, J. B., AND B. M. SPIEGELMAN. ADD1/SREBP1 promotes adipocyte differentiation and gene expression linked to fatty acid metabolism. *Genes Dev.* 10: 1096–1107, 1996.
33. SPIEGELMAN, B. M., AND S. R. FARMER. Decreases in tubulin and actin gene expression prior to morphological differentiation of 3T3 adipocytes. *Cell* 29: 53–60, 1982.
34. KURI-HARCUCU, W., L. S. WISE, AND H. GREEN. Interruption of the adipose conversion of 3T3 cells by biotin deficiency: differentiation without triglyceride accumulation. *Cell* 14: 53–59, 1978.
35. SPIEGELMAN, B. M., AND H. GREEN. Cyclic AMP-mediated control of lipogenic enzyme synthesis during adipose differentiation of 3T3 cells. *Cell* 24: 503–510, 1981.
36. CALVO, J. C., D. RODBARD, A. KATKI, S. CHERNICK, AND M. YANAGISHITA. Differentiation of 3T3-L1 preadipocytes with 3-isobutyl-1-methylxanthine and dexamethasone stimulates cell-associated and soluble chondroitin 4-sulfate proteoglycans. *J. Biol. Chem.* 266: 11237–11244, 1991.
37. PAULASKIS, J. D., AND H. S. SUL. Cloning and expression of mouse fatty acid synthase and other specific mRNAs. Developmental and hormonal regulation in 3T3-L1 cells. *J. Biol. Chem.* 263: 7049–7054, 1988.
38. GARCIA DE HERREROS, A., AND M. J. BIRNBAUM. The acquisition of increased insulin-responsive hexose transport in 3T3-L1 adipocytes correlates with expression of a novel transporter gene. *J. Biol. Chem.* 264: 19994–19999, 1989.
39. MACDOUGALD, O. A., C. S. HWANG, H. FAN, AND M. D. LANE. Regulated expression of the obese gene product (leptin) in white adipose tissue and 3T3-L1 adipocytes. *Proc. Natl. Acad. Sci. USA* 92: 9034–9037, 1995.

4. Köszönetnyilvánítás

Ez úton szeretném kifejezni köszönetem, dr. Bálint Bálint Lászlónak, a DE ÁOK Biokémiai és Molekuláris Biológiai Intézet adjunktusának, témavezetőmnek, hogy segítette témaválasztásomat. Útmutatásával és szakmai tapasztalatával segítette dolgozatom elkészítését, továbbá hasznos tanácsaival támogatta munkám eredményességét.

Külön köszönettel tartozom a Genomika Központ összes dolgozójának, akik mindig készséggel segítettek akár elméleti, akár technikai kérdésekben.