

VII. IRODALOM

- [1] S. Kárpáti, L. Kemény, and É. Reményik, *BŐRGYÓGYÁSZAT ÉS VENEROLÓGIA*, Első. Medicina Kiadó, 2013.
- [2] R. P. J. B. Weller and J. A. A. Hunter, *Clinical dermatology*, 4. ed. Malden, Mass.: Blackwell Pub., 2008.
- [3] G. Michel, T. Tonon, D. Scornet, J. M. Cock, and B. Kloareg, "The cell wall polysaccharide metabolism of the brown alga *Ectocarpus siliculosus*. Insights into the evolution of extracellular matrix polysaccharides in Eukaryotes," *New Phytol.*, vol. 188, no. 1, pp. 82–97, Oct. 2010.
- [4] E. D. Hay, Ed., *Cell biology of extracellular matrix*, 2nd ed. New York: Plenum Press, 1991.
- [5] F. T. Bosman and I. Stamenkovic, "Functional structure and composition of the extracellular matrix," *J. Pathol.*, vol. 200, no. 4, pp. 423–428, Jul. 2003.
- [6] A. Aszódi, K. R. Legate, I. Nakchbandi, and R. Fässler, "What Mouse Mutants Teach Us About Extracellular Matrix Function," *Annu. Rev. Cell Dev. Biol.*, vol. 22, no. 1, pp. 591–621, Nov. 2006.
- [7] Z. Bata-Csorgo, K. D. Cooper, K. M. Ting, J. J. Voorhees, and C. Hammerberg, "Fibronectin and alpha5 integrin regulate keratinocyte cell cycling. A mechanism for increased fibronectin potentiation of T cell lymphokine-driven keratinocyte hyperproliferation in psoriasis," *J. Clin. Invest.*, vol. 101, no. 7, pp. 1509–1518, Apr. 1998.
- [8] P. Friedl, K. S. Zänker, and E. B. Bröcker, "Cell migration strategies in 3-D extracellular matrix: differences in morphology, cell matrix interactions, and integrin function," *Microsc. Res. Tech.*, vol. 43, no. 5, pp. 369–378, Dec. 1998.
- [9] G. C. Reilly and A. J. Engler, "Intrinsic extracellular matrix properties regulate stem cell differentiation," *J. Biomech.*, vol. 43, no. 1, pp. 55–62, Jan. 2010.
- [10] S. M. Frisch, "Disruption of epithelial cell-matrix interactions induces apoptosis," *J. Cell Biol.*, vol. 124, no. 4, pp. 619–626, Feb. 1994.
- [11] M. Théry, V. Racine, A. Pépin, M. Piel, Y. Chen, J.-B. Sibarita, and M. Bornens, "The extracellular matrix guides the orientation of the cell division axis," *Nat. Cell Biol.*, vol. 7, no. 10, pp. 947–953, Oct. 2005.
- [12] J. Barallobre-Barreiro, A. Didangelos, X. Yin, N. Doménech, and M. Mayr, "A Sequential Extraction Methodology for Cardiac Extracellular Matrix Prior to Proteomics Analysis," in *Heart Proteomics*, vol. 1005, F. Vivanco, Ed. Totowa, NJ: Humana Press, 2013, pp. 215–223.
- [13] F. H. Glorieux, "Osteogenesis imperfecta," *Best Pract. Res. Clin. Rheumatol.*, vol. 22, no. 1, pp. 85–100, Mar. 2008.
- [14] J. R. Mao and J. Bristow, "The Ehlers-Danlos syndrome: on beyond collagens," *J. Clin. Invest.*, vol. 107, no. 9, pp. 1063–1069, May 2001.
- [15] H. C. Dietz, F. Ramirez, and L. Y. Sakai, "Marfan's syndrome and other microfibrillar diseases," *Adv. Hum. Genet.*, vol. 22, pp. 153–186, 1994.
- [16] S. Katsuda, Y. Okada, T. Minamoto, Y. Oda, Y. Matsui, and I. Nakanishi, "Collagens in human atherosclerosis. Immunohistochemical analysis using collagen type-specific antibodies," *Arterioscler. Thromb. J. Vasc. Biol. Am. Heart Assoc.*, vol. 12, no. 4, pp. 494–502, Apr. 1992.
- [17] M. H. Tayebjee, R. J. MacFadyen, and G. Y. Lip, "Extracellular matrix biology: a new frontier in linking the pathology and therapy of hypertension?," *J. Hypertens.*, vol. 21, no. 12, pp. 2211–2218, Dec. 2003.

- [18] D. S. Postma and W. Timens, "Remodeling in asthma and chronic obstructive pulmonary disease," *Proc. Am. Thorac. Soc.*, vol. 3, no. 5, pp. 434–439, Jul. 2006.
- [19] K. Wallace, A. D. Burt, and M. C. Wright, "Liver fibrosis," *Biochem. J.*, vol. 411, no. 1, pp. 1–18, Apr. 2008.
- [20] C. A. de la Motte, V. C. Hascall, J. Drazba, S. K. Bandyopadhyay, and S. A. Strong, "Mononuclear leukocytes bind to specific hyaluronan structures on colon mucosal smooth muscle cells treated with polyinosinic acid:polycytidylic acid: inter-alpha-trypsin inhibitor is crucial to structure and function," *Am. J. Pathol.*, vol. 163, no. 1, pp. 121–133, Jul. 2003.
- [21] Y. Liu, "Renal fibrosis: new insights into the pathogenesis and therapeutics," *Kidney Int.*, vol. 69, no. 2, pp. 213–217, Jan. 2006.
- [22] H. I. Roach, T. Aigner, S. Soder, J. Haag, and H. Welkerling, "Pathobiology of osteoarthritis: pathomechanisms and potential therapeutic targets," *Curr. Drug Targets*, vol. 8, no. 2, pp. 271–282, Feb. 2007.
- [23] T. R. Cox and J. T. Erler, "Remodeling and homeostasis of the extracellular matrix: implications for fibrotic diseases and cancer," *Dis. Model. Mech.*, vol. 4, no. 2, pp. 165–178, Mar. 2011.
- [24] J. Y. Jung, H. S. Kim, M. R. Roh, H. J. Roh, S. Y. Lee, and K. Y. Chung, "The effect of imiquimod on matrix metalloproteinases and tissue inhibitors of metalloproteinases in malignant melanoma cell invasion," *Ann. Dermatol.*, vol. 26, no. 3, pp. 363–373, Jun. 2014.
- [25] D. Nikitovic, M. Mytilinaiou, A. Berdiaki, N. K. Karamanos, and G. N. Tzanakakis, "Heparan sulfate proteoglycans and heparin regulate melanoma cell functions," *Biochim. Biophys. Acta*, vol. 1840, no. 8, pp. 2471–2481, Aug. 2014.
- [26] F. Tas, S. Karabulut, E. Bilgin, D. Tastekin, and D. Duranyildiz, "Clinical significance of serum fibronectin and vitronectin levels in melanoma patients," *Melanoma Res.*, vol. 24, no. 5, pp. 475–479, Oct. 2014.
- [27] E. V. Maytin, H. H. Chung, and V. M. Seetharaman, "Hyaluronan participates in the epidermal response to disruption of the permeability barrier in vivo," *Am. J. Pathol.*, vol. 165, no. 4, pp. 1331–1341, Oct. 2004.
- [28] T. Ando, K. Matsumoto, S. Namiranian, H. Yamashita, H. Glatthorn, M. Kimura, B. R. Dolan, J. J. Lee, S. J. Galli, Y. Kawakami, C. Jamora, and T. Kawakami, "Mast cells are required for full expression of allergen/SEB-induced skin inflammation," *J. Invest. Dermatol.*, vol. 133, no. 12, pp. 2695–2705, Dec. 2013.
- [29] D. Simon, C. Aeberhard, Y. Erdemoglu, and H.-U. Simon, "Th17 cells and tissue remodeling in atopic and contact dermatitis," *Allergy*, vol. 69, no. 1, pp. 125–131, Jan. 2014.
- [30] M. Vaccaro, L. Magaudo, G. Cutroneo, F. Trimarchi, O. Barbuzza, F. Guarneri, and B. Guarneri, "Changes in the distribution of laminin alpha1 chain in psoriatic skin: immunohistochemical study using confocal laser scanning microscopy," *Br. J. Dermatol.*, vol. 146, no. 3, pp. 392–398, Mar. 2002.
- [31] M. R. Mondello, L. Magaudo, S. Pergolizzi, A. Santoro, M. Vaccaro, L. Califano, S. P. Cannavò, and B. Guarneri, "Behaviour of laminin 1 and type IV collagen in uninvolved psoriatic skin. Immunohistochemical study using confocal laser scanning microscopy," *Arch. Dermatol. Res.*, vol. 288, no. 9, pp. 527–531, Aug. 1996.
- [32] A. Sonnenberg, P. W. Modderman, and F. Hogervorst, "Laminin receptor on platelets is the integrin VLA-6," *Nature*, vol. 336, no. 6198, pp. 487–489, Dec. 1988.
- [33] D. A. Cheresh and D. G. Stupack, "Regulation of angiogenesis: apoptotic cues from the ECM," *Oncogene*, vol. 27, no. 48, pp. 6285–6298, Oct. 2008.

- [34] C. J. Avraamides, B. Garmy-Susini, and J. A. Varner, "Integrins in angiogenesis and lymphangiogenesis," *Nat. Rev. Cancer*, vol. 8, no. 8, pp. 604–617, Aug. 2008.
- [35] K. M. Ting, D. Rothaupt, T. S. McCormick, C. Hammerberg, G. Chen, A. C. Gilliam, S. Stevens, L. Culp, and K. D. Cooper, "Overexpression of the oncofetal Fn variant containing the EDA splice-in segment in the dermal-epidermal junction of psoriatic uninvolved skin," *J. Invest. Dermatol.*, vol. 114, no. 4, pp. 706–711, Apr. 2000.
- [36] I. Wierzbicka-Patynowski and J. E. Schwarzbauer, "The ins and outs of fibronectin matrix assembly," *J. Cell Sci.*, vol. 116, no. Pt 16, pp. 3269–3276, Aug. 2003.
- [37] V. Koivukangas, M. Kallionen, J. Karvonen, H. Autio-Harmainen, J. Risteli, L. Risteli, and A. Oikarinen, "Increased collagen synthesis in psoriasis in vivo," *Arch. Dermatol. Res.*, vol. 287, no. 2, pp. 171–175, 1995.
- [38] J. Khoshnoodi, V. Pedchenko, and B. G. Hudson, "Mammalian collagen IV," *Microsc. Res. Tech.*, vol. 71, no. 5, pp. 357–370, May 2008.
- [39] V. M. Kähäri and U. Saarialho-Kere, "Matrix metalloproteinases in skin," *Exp. Dermatol.*, vol. 6, no. 5, pp. 199–213, Oct. 1997.
- [40] S. L. Raza and L. A. Cornelius, "Matrix metalloproteinases: pro- and anti-angiogenic activities," *J. Invest. Dermatol. Symp. Proc. Soc. Invest. Dermatol. Inc Eur. Soc. Dermatol. Res.*, vol. 5, no. 1, pp. 47–54, Dec. 2000.
- [41] K. Prikk, P. Maisi, E. Pirilä, R. Sepper, T. Salo, J. Wahlgren, and T. Sorsa, "In vivo collagenase-2 (MMP-8) expression by human bronchial epithelial cells and monocytes/macrophages in bronchiectasis," *J. Pathol.*, vol. 194, no. 2, pp. 232–238, Jun. 2001.
- [42] A. Mezentssev, A. Nikolaev, and S. Bruskin, "Matrix metalloproteinases and their role in psoriasis," *Gene*, vol. 540, no. 1, pp. 1–10, Apr. 2014.
- [43] A. Didangelos, X. Yin, K. Mandal, M. Baumert, M. Jahangiri, and M. Mayr, "Proteomics characterization of extracellular space components in the human aorta," *Mol. Cell. Proteomics MCP*, vol. 9, no. 9, pp. 2048–2062, Sep. 2010.
- [44] L. E. de Castro Brás, T. A. Ramirez, K. Y. DeLeon-Pennell, Y. A. Chiao, Y. Ma, Q. Dai, G. V. Halade, K. Hakala, S. T. Weintraub, and M. L. Lindsey, "Texas 3-step decellularization protocol: looking at the cardiac extracellular matrix," *J. Proteomics*, vol. 86, pp. 43–52, Jun. 2013.
- [45] B. Brachvogel, F. Zaucke, K. Dave, E. L. Norris, J. Stermann, M. Dayakli, M. Koch, J. J. Gorman, J. F. Bateman, and R. Wilson, "Comparative Proteomic Analysis of Normal and Collagen IX Null Mouse Cartilage Reveals Altered Extracellular Matrix Composition and Novel Components of the Collagen IX Interactome," *J. Biol. Chem.*, vol. 288, no. 19, pp. 13481–13492, May 2013.
- [46] E. Parkinson, P. Skipp, M. Aleksic, A. Garrow, T. Dadd, M. Hughes, G. Clough, and C. D. O'Connor, "Proteomic Analysis of the Human Skin Proteome after In Vivo Treatment with Sodium Dodecyl Sulphate," *PLoS ONE*, vol. 9, no. 5, p. e97772, May 2014.
- [47] J.-W. Cho, "Proteomic analysis of psoriatic skin tissue for identification of differentially expressed proteins: Up-regulation of GSTP1, SFN and PRDX2 in psoriatic skin," *Int. J. Mol. Med.*, Jul. 2011.
- [48] E. Piruzian, S. Bruskin, A. Ishkin, R. Abdeev, S. Moshkovskii, S. Melnik, Y. Nikolsky, and T. Nikolskaya, "Integrated network analysis of transcriptomic and proteomic data in psoriasis," *BMC Syst. Biol.*, vol. 4, p. 41, 2010.
- [49] C. A. Pacak, A. A. MacKay, and D. B. Cowan, "An improved method for the preparation of type I collagen from skin," *J. Vis. Exp. JoVE*, no. 83, p. e51011, 2014.

VIII. KÖSZÖNETNYILVÁNÍTÁS

Szeretném megköszönni Dr. Kemény Lajos Professzor Úrnak, hogy dolgozatomat a Szegedi Tudományegyetem Bőrgyógyászati és Allergológiai Klinikáján készíthettem.

Hálásan köszönöm témavezetőmnek, Dr. Groma Gergelynek, és Dr. Szél Edit PhD hallgatónak, hogy szaktudásukkal segítették munkámat, valamint a rám fordított időt, figyelmet, türelmet és hasznos tanácsokat.

Köszönöm az MTA Szegedi Biológiai Kutatóközpont Proteomikai Kutatócsoportjának a fehérjék azonosítása során elvégzett munkát (nano HPLC-MS/MS).

Köszönet illeti továbbá az SZTE Bőrgyógyászati és Allergológiai Klinika összes munkatársát a segítőkészségükért.

IX. TÉTELES SZERZŐI HOZZÁJÁRULÁS

Alulírott Bozó Renáta a dolgozatban leírt munkafolyamatok közül a

- bőrminta előkészítését
- extrakciós pufferek készítését
- többlépéses fehérje kivonást
- fehérjék koncentrációjának meghatározását NanoDroppal
- fehérjék precipitálását etanollal
- deglikozilációt
- pepszines emésztést
- 1D-SDS-PAGE-t
- Egészséges bőr proteomikai adatbázis létrehozását és analízisét végeztem el.


.....

aláírás

Szeged, 2015. január 7.