

6. Irodalomjegyzék

Alcázar R, Marco F, Cuevas JC, Patrón M, Ferrando A, Carrasco P, Tiburcio AF, Altabella T: Involvement of polyamines in plant response to abiotic stress. *Biotechnol Lett* 28:1867–1876, 2006.

Alcázar R, Altabella T, Marco F, Bortolotti C, Reymond M, Koncz C, Carrasco P, Tiburcio A: Polyamines: molecules with regulatory functions in plant abiotic stress tolerance. *Planta* 231:1237–1249, 2010.

Alcázar R. and Tiburcio A. F.: Plant polyamines in stress and development: an emerging area of research in plant sciences: *Plant Science*: DOI: 10.3389/fpls.2014.00319, 2014.

Alet AI, Sánchez DH, Cuevas JC, Marina M, Carrasco P, Altabella T, Tiburcio AF, Ruiz OA: New insights into the role of spermine in *Arabidopsis thaliana* under long-term salt stress. *Plant Sci* 182:94–100, 2012.

Andronis E.A., Moschou P.M., Toumi I. and Roubelakis-Angelakis K.A.: Peroxisomal polyamine oxidase and NADPH-oxidase cross-talk for ROS homeostasis which affects respiration rate in *Arabidopsis thaliana*: *Plant Science*: Volume 5, Article 132, doi: 10.3389/fpls.2014.00132, 2014.

Angelini R., Cona A., Federico R., Fincato P., Tavladoraki P., Tisi A.: Plant amine oxidases „on the move“: An update: *Plant Physiology and Biochemistry*: Volume 48, Issue 7, July 2010, Pages 560-564, 2010.

Atkin, O. K., Zhang, Q., and Wiskich, J. T. Effect of temperature on rates of alternative and cytochrome pathway respiration and their relationship with the redox poise of the quinone pool. *Plant Physiol.* 128, 212–222. doi: 10.1104/pp.010326, 2002.

Bagni N, Pistocchi R.: Uptake and transport of polyamine metabolism in plants, in R.d. Slocum, H.E. Flores (Eds.), *Biochemistry and Physiology of Polyamines in Plants*, CSR Press, Boca Raton, 1991.

Bell E, Malmberg RL: Analysis of a cDNA encoding arginine decarboxylase from oat reveals similarity to the *Escherichia coli* arginine decarboxylase and evidence of protein processing. *Mol Gen Genet* 224:431–436, 1990.

Bi, Y.H., Chen, W.L., Zhang, W.N., Zhou, Q., Yun, L.J., Xing, D.: Production of reactive oxygen species, impairment of photosynthetic function and dynamic changes in mitochondria are early events in cadmium-induced cell death in *Arabidopsis thaliana*. – *Biol Cell* 101: 629-643. 2009.

Benov L, Sztejnberg L, Fridovich I (1998) Critical evolution of the use of hydroethidine as a measure of superoxide anion radical. *Free Radic Biol Med* 25: 826-831.

Bolenius FN, Seiler N Acetyl derivatives as intermediates in polyamine catabolism. *Int J Biochem* 13:287–292, 1981.

Bassard JE, Ullmann P, Bernier F, Werck-Reichhart D: Phenolamides: bridging polyamines to the phenolic metabolism. *Phytochemistry* 71:1808–1824, 2010.

Bouchereau A, Aziz A, Larher F, Martin-Tanguy J. Polyamines and environmental challenges: recent development. *Plant Sci* 140:103–125, 1999.

Bitrián M, Zarza X, Altabella T, Tiburcio AF, Alcázar R: Polyamines under abiotic stress: metabolic crossroads and hormonal crosstalks in plants. *Metabolites* 2(3):516–528, 2002.

Cona A., Cenci F., Cervelli M., Federico R., Mariottini P., Moreno S., Angelini R.: Polyamine oxidase, a hydrogen peroxide-producing enzyme, is upregulated by light and downregulated by auxin in the outer tissues of the maize mesocotyl.: *Plant physiology*: 131, 803-813, 2003.

Cona A, Rea G, Angelini R, Federico R, Tavladoraki P: Functions of amine oxidases in plant development and defence. *Trends Plant Sci* 11:80–88, 2006.

Cohen AS, Popovic RB, Zalik S: Effects of polyamines on chlorophyll and protein content, photochemical activity, and chloroplast ultrastructure of barley leaf discs during senescence. *Plant Physiol* 64:717–720, 1979.

Cona A., Rea G, Angelini R., Federico R., Tavladoraki P.: Functions of amine oxidases in plant development and defense – *Trends Plants Sci*: 11:80-88, 2006.

Corpas F.J., Hayashi M. Mano S. Nishimura M, Barroso J.B: Peroxisomes are required for in vivo nitric oxide accumulation in the cytosol following salinity stress of *Arabidopsis* plants. – *Plant Physiol*. 151, 2083-2094., 2014.

Cuevas JC, Lopez-Cobollo R, Alcázar R, Zarza X, Koncz C, Altabella T, Salinas J, Tiburcio AF, Ferrando A: Putrescine as a signal to modulate the indispensable ABA increase under cold stress. *Plant Signal Behav* 4:219–220, 2009.

Di Paola R., Marzocco S., Mazzon E.: Effect of aminoguanidine in ligature-induced periodontitis in rats. *J Dent Res*, 2004;83;343-348., 2004.

Dittami SM, Gravot A, Renault D, Goulitquer S, Eggert A, Bouchereau A, Boyen C, Tonon T: Integrative analysis of metabolite and transcript abundance during the short-term response to saline and oxidative stress in the brown alga *Ectocarpus siliculosus*. *Plant Cell Environ* 34(4):629–642. doi:10.1111/j.1365-3040.2010.02268.x, 2011.

Doussi re J.  s Vignais P.V: Diphenylene iodonium as an inhibitor of the NADPH oxidase complex of bovine neutrophils – *European Journal of Biochemistry*, Vol 208 (1), pages 61–71, 1992.

Facchini PJ, Hagel J, Zulak KG: Hydroxycinnamic acid amide metabolism: physiology and biochemistry. *Can J Bot* 80:577–589, 2002.

Fariduddin Q., Varshneya P., Yusufa M. és Ahmada A.: Polyamines: potent modulators of plant responses to stress – *Journal of Plant Interactions*: Volume 8, Issue 1, 1-16; 2013.

Flores, H.E., Galston, A.W.: Analysis of polyamines in higher plants by high performance liquid chromatography. - *Plant Physiol.* 69: 701-706. 1982.

Filippou P, Antoniou C, Fotopoulos V: The nitric oxide donor sodium nitroprusside regulates polyamine and proline metabolism in leaves of *Medicago truncatula* plants. *Free Radical Biol Med* 56:172–183. doi:10.1016/j.freeradbiomed.2012.09.037, 2013.

Fincato P., Moschou P.N., Spedaletti V., Tavazza R., Angelini R., Federico R., Roubelakis-Angelakis K.A., Tavladoraki P.: Functional diversity inside the *Arabidopsis* polyamine oxidase gene family. – *J. Exp. Botany*: 62:1155-68, 2011.

Fincato P, Moschou PN, Ahou A, Angelini R, Roubelakis-Angelakis KA, Federico R, Tavladoraki P. The members of *Arabidopsis thaliana* PAO gene family exhibit distinct tissue- and organ-specific expression pattern during seedling growth and flower development. *Amino Acids* 42:831–841, 2012.

Galston AW, Sawhney RK: Polyamines in plant physiology. *Plant Physiol* 94:406–410, 1990.

Galston AW, Kaur-Sawhney R, Altabella T, Tiburcio AF: Plant polyamines in reproductive activity and response to abiotic stress. *Bot Acta* 110:197–207, 1997.

Griffiths M.J.D., Messent M., MacAllister R.J. and Evans T.W.: Aminoguanidine selectively inhibits inducible nitric oxide synthase – *Br. J. Pharmacol.*, 110, 963-968, 1993.

Groppa MD, Benavides MP: Polyamines and abiotic stress: recent advances – *Amino Acids*: 34:35-45, 2008.

Groppa MD, Rosales EP, Iannone MF, Benavides MP: Nitric oxide, polyamines and Cd-induced phytotoxicity in wheat roots – *Phytochemistry*: 69:2609-2615, 2008.

Hamana K, Matsuzaki S :Distinct difference in the polyamine compositions of bryophyta and pteridophyta. *J Biochem* 97:1595–1601, 1985.

Handa A.K., Mattoo A.K.: Differential and functional interactions emphasize the multiple roles of polyamines in plants –*Plant Biochemistry*: 48:540-546, 2010.

Holmstead B, Larson L, Tham R, Further studies on spectrophotometric methods for the determination of amine oxidase activity. *Biochem and Biophys Acta* 48: 182-186, 1961.

Hussain SS, Ali M, Ahmad M, Siddique KH: Polyamines: natural and engineered abiotic and biotic stress tolerance in plants. *Biotechnol Adv* 29(3):300–311, 2011.

Iannone M. F., Rosales E. P., Groppa M. D., Benavides M. P.: H₂O₂ involvement in polyamine-induced cell death in tobacco leaf discs – *J Plant Growth Regul*: DOI: 10.1007/s00344-013-9341-9, 2013.

Igarashi K., Kashiwagi K.: Polyamines: mysterious modulators of cellular function. – *Biochem Biophys Res Commun*: 271:559-564, 2000.

Kaur G., Sharma A., Guruprasad K., Pati P. K.: Versatile roles of plant NADPH oxidases and emerging concepts – *Biotechnology Advances*: JBA-06789, 2014.

Kolbert Zs, Pető A, Lehotai N, Feigl G, Ördög A, Erdei L: In vivo and in vitro studies on fluorophorespecificity. *Acta Biol. Szeged*.56:37-41, 2012.

Korolev S, Ikeguchi Y, Skarina T, Beasley S, Arrowsmith C, Edwards A, Joachimiak A, Pegg AE, Savchenko A: The crystal structure of spermidine synthase with a multisubstrate adduct inhibitor. *Nat Struct Biol* 9:27–31, 2002.

Krishnamurthy R, Bhagwat KA: Polyamines as modulators of salt tolerance in rice cultivars. *Plant Physiol* 91:500–504, 1989.

Kwak, J. M., Mori, I. C., Pei, Z. M., Leonhardt, N., Torres, M. A., Dangl, J. L., et al.: NADPH oxidase *AtrbohD* and *AtrbohF* genes function in ROS-dependent ABA signaling in *Arabidopsis*. *EMBO J*. 22, 2623–2633., 2003.

Leete E: The alkaloids. In: Bell EA, Charwood BV (eds) *Encyclopedia of plant physiology*. New series, vol 8. Springer, Berlin, pp 65–91, 1980.

Liu JH, Nada K, Honda C, Kitashiba H, Wen XP, Pang XM, Moriguchi T: Polyamine biosynthesis of apple callus under salt stress: importance of the arginine decarboxylase pathway in stress response. *J Exp Bot* 57:2589–2599, 2006.

Liu JH, Nakajima I, Moriguchi T.: Effects of salt and osmotic stresses on free polyamine content and expression of polyamine biosynthetic genes in *Vitis vinifera*. *Biol Plant* 55:340–344, 2011.

Mahajan S, Pandey GK, Tuteja N: Calcium-and salt-stress signaling in plants: shedding light on SOS pathway. *Arch Biochem Biophys* 471(2):146–158, 2008.

Mansour MA., Mostafa AM., Nagi MN., Khattab MM., Al-Shabanah OA: Protective effect of aminoguanidine against nephrotoxicity induced by cisplatin in normal rats. *Comp Biochem Phys* 2002;132:123-128., 2002.

Marina M, Maiale SJ, Rossi FR, Romero MF, Rivas EI, Ga'rriz A, Ruiz OA, Pieckenstain FL: Apoplastic polyamine oxidation plays different roles in local responses of tobacco to infection by the necrotrophic fungus *Sclerotinia sclerotiorum* and the biotrophic bacterium *Pseudomonas viridiflava*. *Plant Physiol* 147:2164–2178, 2008.

Moller SG, McPherson MJ: Developmental expression and biochemical analysis of the Arabidopsis ATA01 gene encoding an H₂O₂-generating diamine oxidase. *Plant J* 13:781–791, 1998.

Moschou P.N, Delis I.D., Paschalidis K.A., Roubelakis-Angelakis K.A.: Transgenic tobacco plants overexpressing polyamine oxidase are not able to cope with oxidative burst generated by abiotic factors. – *Plant Physiol.*, 133:140-56, 2008.

Moschou PN, Paschalidis KA, Delis .D, Andriopoulou AH, Lagiotis GD, Yakoumakis DI, Roubelakis-Angelakis K: Spermidine exodus and oxydation in the apoplast induced by abiotic stress is responsible for H₂O₂ signatures that direct tolerance responses in tobacco. *The Plant Cell* 20: 1708-1724, 2008.

Mukherjee K, Roy Choudhury A, Gupta B, Gupta S, Sengupta DN: An ABRE-binding factor, OSBZ8, is highly expressed in salt tolerant cultivars than in salt sensitive cultivars of indica rice. *BMC Plant Biol* 6:18, 2006.

Myhre, O., Andersen, J.M., Aarnes, H., Fonnum F.: Evaluation of the probes 2',7'-dichlorofluorescein diacetate, luminol, and lucigenin as indicators of reactive species formation. – *Biochem Pharmacol* 65:1575-1582. 2003.

Neill S, Desikan R, Hancock J: Hydrogen peroxide signaling. *Curr Opin Plant Biol* 5:388–395, 2002.

Ono Y, Kim DW, Watanabe K, Sasaki A, Niitsu M, Berberich T, Kusano T, Takahashi Y: Constitutively and highly expressed *Oryza sativa* polyamine oxidases localize in peroxisomes and catalyze polyamine back conversion. *Amino Acids* 42(2):867–876, 2012.

Oshima T: Unique polyamines produced by an extreme thermophile, *Thermus thermophilus*. *Amino Acids* 33:367–372, 2007.

Pandey, S., Ranade, S.A., Nagar, P.K. and Kumar N.: Role of polyamines and ethylene as modulators of plant senescence.– *J. Bioscience* 25:291-299. 2000.

Räthel TR, Leikert J Ju, Vollmar AM, Dirsch VM.: Application of 4,5-diaminofluorescein to reliably measure nitric oxide released from endothelial cells in vitro. - *Biol. Proced. Online* 5:136-142. 2003.

Riganti C., Gazzano E., Polimeni M., Costamagna C., Bosia A., Ghigo D.,: Diphenyleneiodonium inhibits the cell redox metabolism and induces oxidative stress. *J Biol Chem* 2004;279:47726-47731., 2004.

Rodríguez AA, Maiale SJ, Mene'ndez AB, Ruiz OA: Polyamine oxidase activity contributes to sustain maize leaf elongationn under saline stress. *J Exp Bot* 60:4249–4262, 2009.

Roy P, Niyogi K, Sengupta DN, Ghosh B: Spermidine treatment to rice seedlings recovers salinity stress induced damage of Plasma membrane and PM-bound H⁺-ATPase in salt-tolerant and salt sensitive rice cultivars. *Plant Sci* 168:583–591, 2005.

Segal, A. W., and Abo, A.: The biochemical basis of the NADPH oxidase of phagocytes. *Trends Biochem. Sci.* 18, 43–47. doi: 10.1016/0968-0004(93)90051-N, 1993.

Sandalio LM, Rodríguez-Serrano M, Romero-Puertas MC, del Río LA: Imaging of Reactive oxygen species and nitric oxide in vivo in plant tissues. *Methods Enzymol* 440:398–406., 2008.

Slocum RD: Polyamine biosynthesis in plants. In: Slocum RD, Flores HE (eds) *The biochemistry and physiology of polyamines in plants*. CRC Press, Boca Raton, pp 23–40, 1991.

Stuehr DJ., Faselun OA., Kwon NS, Gross SS., Gonzalez JA., Levi R., Nathan CF.: Inhibition of macrophage and endothelial cell nitric oxide synthase by diphenylene iodonium and its analogs. *FASEB J* 1991;5:98-103., 1991.

Takahashi T, Kakehi JI: Polyamines: ubiquitous polycations with unique roles in growth and stress responses. *Ann Bot* 105(1):1–6, 2010.

Tassoni A, Franceschetti M, Bagni N: Polyamines and salt stress response and tolerance in *Arabidopsis thaliana* flowers. *Plant Physiol Biochem* 46(5):607–613, 2008.

Tari, I., Csiszár, J.: Effects of NO₂⁻ or NO₃⁻ supply on polyamine accumulation and ethylene production of wheat roots at acidic and neutral pH: implications for root growth. - *Plant Growth Regul.* 40: 121-128, 2003.

Tavladoraki P, Schininà ME, Cecconi F, Di Agostino S, Manera F, Rea G, Mariottini P, Federico R, Angelini R: Maize polyamine oxidase: primary structure from protein and cDNA sequencing. *FEBS Lett* 426:62–66, 1998.

Tipping A.J, McPherson M.J.: Cloning and molecular analysis of the pea seedling copper amine oxidase. – *Journal of Biological Chemistry*: 270, 16939-16946.; 1995.

Torres, M. A., Jones, J. D. G., and Dangl, J. L.: Pathogen-induced, NADPH oxidase-derived reactive oxygen intermediates suppress spread of cell death in *Arabidopsis thaliana*. *Nat. Genet.* 37, 1130–1134. doi: 10.1038/Ng1639, 2005.

Tun NN, Santa-Catarina C, Begum T, Silveria V, Handro W, Floh EIS, Scherer GFE: Polyamines induce rapid biosynthesis of nitric oxide (NO) in *Arabidopsis thaliana* seedlings. *Plant Cell Physiol* 47:346–354, 2006.

Urano K, Maruyama K, Ogata Y, Morishita Y, Takeda M, Sakurai N, Suzuki H, Saito K, Shibata D, Kobayashi M, Yamaguchi-Shinozaki K, Shinozaki K: Characterization of the ABA regulated global responses to dehydration in *Arabidopsis* by metabolomics. *Plant J* 57:1065–1078, 2009.

Velikova V., Yordanov I., Edreva A: Oxidative stress and some antioxidant systems in acid rain-treated bean plants. Protective role of exogenous polyamines. – *Plant Sci*: 151: 59-66; 2000.

Vergnolle C, Vaultier MN, Taconnat L, Renou JP, Kader JC, Zachowski A, Ruelland E: The cold-induced early activation of phospholipase C and D pathways determines the response of two distinct clusters of genes in *Arabidopsis* cell suspensions. *Plant Physiol* 139:1217–1233, 2005.

Wallace HM, Fraser AV, Hughes A: A perspective of polyamine metabolism. *Biochem J* 376:1–14, 2003.

Wang Y, Devereux W, Woster PM, Stewart TM, Hacker A, Casero RA Jr: Cloning and characterization of a human polyamine oxidase that is inducible by polyamine analogue exposure. *Cancer Res* 61:5370–5373, 2001.

Yoda H, Hamaguchi R, Sano H: Induction of hypersensitive cell death by hydrogen peroxide produced through polyamine degradation in tobacco plants. *Plant Physiol* 132:1973–1981, 2003.

Zapata PJ, Serrano M, Pretel MT, Amoros A, Botella MA: Polyamines and ethylene changes during germination of different plant species under salinity. *Plant Sci* 167:781–788, 2004.


Zepeda-Jazo I, Velarde-Buendía AM, Enríquez-Figueroa R, Jayakumar B, Shabala S, Muñoz J, Pottosin I: Polyamines interact with hydroxyl radicals in activating Ca^{2+} and K^{+} transport across the root epidermal plasma membranes. *Plant Phys* 157:1–14, 2011.

7. Köszönetnyilvánítás

Köszönetemet szeretném kifejezni témavezetőmnek, Dr. Szepesi Ágnesnek, kitartó munkájáért és segítségéért, Dr. Görgényi Miklósné Dr. Tari Irma tanszékvezető egyetemi docensnek, hogy a tanszéken részt vehetek a kutatásban, a tanszék dolgozóinak, Dr. Poór Péternek a fluoreszcens képek elkészítéséért, ezen kívül családomnak és barátaimnak a lelki támogatásukért.

A kutatás az OTKA K101243 pályázat, valamint a TÁMOP 4.2.4.A/2-11-2012-0001 azonosító számú „Nemzeti Kiválóság Program- Hazai hallgatói, illetve kutatói személyi támogatást biztosító rendszer kidolgozása és működtetése konvergencia program“ című kiemelt projekt keretében zajlott. A projekt az Európai Unió támogatásával, az Európai Szociális Alap társfinanszírozásával valósul meg.

8. Függelék



Melléklet 1.ábra: Az AG és DPI kezelések hatása a paradicsom gyökércsúcsok **szuperoxid gyökanion** tartalmára sóstressz mellett (100 és 250 mM NaCl) 0,5 és 2 óra kezelést követően. Az alkalmazott fluoreszcens festék dihidroetídium (DHE) volt. 5x nagyításnál vizsgáltuk a kapott képeket. A mércse minden esetben 500 μm volt.

9. Tételes szakmai hozzájárulás

9. Tételes szakmai hozzájárulás

Alulírott Hurton Ágnes a dolgozatban leírt munkafolyamatok közül a:

- a növénynevelést,
- DAO, PAO és H_2O_2 spektrofotometriás meghatározást,
- szabad poliaminok extrakcióját és HPLC-s meghatározását,
- a mikroszkópos gyökércsúcsfestések kiértékelését

végeztem el.

Szeged, 2014. november. 13.

.....
Hurton Ágnes
aláírás