

Irodalomjegyzék

- BASSON, M. E., THORSNESS, M., FINER-MOORE, J., STROUD, R. M. and RINE, J. (1988) Structural and functional conservation between yeast and human 3-hydroxy-3-methyl-glutaryl coenzyme A reductases, the rate-limiting enzyme of sterol biosynthesis. *Mol. Cell. Biol.* 8: 3797-3808.
- BREITLING, R. and KRISANS, S. K. (2002) A second gene for peroxisomal HMG-CoA reductase? A genomic reassessment. *Journal of Lipid Research* 43: 2031-2036.
- BROWN, M. S. and GOLDSTEIN, J. L. (1980) Multivalent feedback regulation of HMG-CoA reductase, a control mechanism coordinating isoprenoid synthesis and cell growth. *Journal of Lipid Research* 21: 505-517.
- BROWN, M.S. and GOLDSTEIN, J.L. (1999) A proteolytic pathway that controls the cholesterol content of membranes, cells, and blood. *Proc Natl Acad Sci U S A. Review.* 96(20): 11041-11048.
- BURTON, G.W. (1989) Antioxidant action of carotenoids. *J. Nutrition* 119: 109-111.
- CAELLES, C., FERRER, A., BALCELLS, L., HEGARDT, F. G. and BORONAT, A. (1989) Isolation and structural characterization of a cDNA encoding *Arabidopsis thaliana* 3-hydroxy-3-methyl-glutaryl coenzyme A reductase. *Plant Mol. Biol.* 13: 627-638.
- DAVIES, JP. and IONNAU Y.A. (2006) The role of the Niemann-Pick C1-like 1 protein in the subcellular transport of multiple lipids and their homeostasis. *Curr Opin Lipidol Review.* 17(3): 221-226.
- FRIESEN, J., A. and RODWELL V., W. (2004) The 3-hydroxy-3-methylglutaryl coenzyme-A (HMG-CoA) reductases. *Genome Biology* 5: 248.
- GERTLER, F. B., CHIU, C.-Y., RICHTER-MANN, L. and CHIN, D. J. (1988) Developmental and metabolic regulation of the *Drosophila melanogaster* 3-hydroxy-3-methyl-glutaryl coenzyme A reductase. *Mol. Cell. Biol.* 8: 2713-2721.
- HAMPTON, R. Y. and RINE, J. (1994) Regulated of HMG-CoA reductase, an integral membrane protein of the endoplasmic reticulum, in yeast. *The Journal of Cell Biology* 125: 299-312.
- JOO, J. H. and JETTEN, A. M. (2010) Molecular mechanism involved in farnesol-induced apoptosis. *Cancer letters* 287 (2): 123-135.

- LEIVAR, P., GONZÁLES. V. M., CASTEL, S., TRELEASE, R. N., LÓPEZ-IGLESIAS, C., ARRÓ, M., BORONAT, A., CAMPOS, N., FERRER, A. and FERNÁNDEZ-BUSQUETS, X. (2005) Subcellular localization of *Arabidopsis* 3-hydroxy-3-methylglutaryl-coenzyme A reductase. *Plant Physiology* 137: 57-69.
- LIVAK, KJ, SCHMITTGEN, TD. (2001) Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. *Methods*. 25(4):402-8.
- LOFTUS, S. K., MORRIS, J. A., CARSTEADT, E. D., GU, J. Z., CUMMINGS, C., BROWN, A., ELLISON, J., OHNO, K., ROSENFELD, M. A, TAGLE, D. A., PENTCHEV, P. G. and PAVAN, W. J. (1997) Murine model of Niemann-Pick C disease: mutation in a cholesterol homeostasis gene. *Science* 277 (5323): 180-181.
- LUKÁCS, GY., PAPP, T., SOMOGYVÁRI, F., CSERNETICS, Á., NYILASI, I. and VÁGVÖLGYI, CS. (2008) Cloning of the *Rhizomucor miehei* 3-hydroxy-3-methylglutaryl-coenzyme A reductase gene and its heterologous expression in *Mucor circinelloides*. *Ant Leeuwenhoek* DOI 10.1007/s10482-008-9287-2.
- MISAWA, N. and SHIMADA, H. (1997) Metabolic engineering for the production of carotenoids in non-carotenogenic bacteria and yeasts. *J. Biotechnol.* 59: 169-181.
- NAGUIB, Y.M. (2000) Antioxidant activities of astaxanthin and related carotenoids. *J. Agric. Food Chem.* 48: 1150-1154.
- NAGY, G., FARKAS, A., CSERNETICS, Á., BENCSIK, O., SZEKERES, A., NYILASI, I., VÁGVÖLGYI, CS. and PAPP, T. (2014) Transcription of the three HMG-CoA reductase genes of *Mucor circinelloides* *BMC Microbiology*. 14:93.
- PAIVA S.A.R. and RUSSEL, R.M. (1999) β -carotene and other carotenoids as antioxidants. *J.Nutrition* 5: 426-433.
- PAPP, T., CSERNETICS, Á., NAGY, G., BENCSIK, O., ITURRIA, EA., ESLAVA, AP., VÁGVÖLGYI,CS. (2013) Canthaxanthin production with modified *Mucor circinelloides* strains, *APPLIED MICROBIOLOGY AND BIOTECHNOLOGY* 97: pp. 4937-4950.
- VAUPOTIC, T. and PLEMENITAS, A. (2007) Osmoadaptation-dependent activity of microsomal HMG-CoA reductase in the extremely halotolerant black yeast *Hortaea werneckii* is regulated by ubiquitination. *Febs Letters* 581: 3391-3395.

Köszönetnyilvánítás

Köszönettel tartozom Dr. Vágvölgyi Csabának, az SZTE TTIK Mikrobiológiai Tanszék vezetőjének, hogy lehetővé tette munkámat a tanszéken.

Köszönettel tartozom témavezetőmnek, Dr. Papp Tamásnak szakmai tanácsaiért és áldozatos munkájáért, mellyel segítette jelen dolgozat elkészítését.

Külön köszönet illeti Nagy Gábort a munkámban nyújtott hasznos szakmai tanácsokért és gyakorlati segítségért.

Végül, de nem utolsó sorban pedig, köszönettel tartozom az SZTE TTIK Mikrobiológiai Tanszék 309-es labor dolgozóinak, valamint a tanszék összes dolgozójának.