

6. IRODALOMJEGYZÉK

1. Glickman, M. H. and Ciechanover, a. (2002) The ubiquitin-proteasome proteolytic pathway: destruction for the sake of construction. *Physiol. Rev.* 82, 373-428.
2. Finley, D. (2009) Recognition and processing of ubiquitin-protein conjugates by the proteasome. *Annu. Rev. Biochem.* 78, 477-513.
3. Wilkinson KD and Audhya TK. (1981). Stimulation of ATP-dependent proteolysis requires ubiquitin with the COOH-terminal sequence Arg-Gly-Gly. *J Biol Chem.* 256(17):9235-41.
4. Hershko A, Ciechanover A and Rose IA. (1981). Identification of the active amino acid residue of the polypeptide of ATP-dependent protein breakdown. *J Biol Chem.* 256(4):1525-8.
5. Hershko A., Heller H., Elias S. and Ciechanover A. (1983). Components of ubiquitin-protein ligase system. Resolution, affinity purification and role in protein breakdown. *J.Biol.Chem.* 258 (13):8206-14
6. Pickart, CM. (2004). Back to the future with ubiquitin. *Cell.* 116(2):181-90. Review.
7. Pickart, C.M., and Eddins, M.J. (2004). Ubiquitin: structures, functions, mechanisms. *BBA* 1695, 55–72.
8. Woelk T, Sigismund S, Penengo L and Polo S. (2007). The ubiquitination code: a signaling problem. *Cell Div.* 2:11
9. Lipinszki Zoltán - A poliubiquitin receptorok fejlődésszádium-specifikus szabályozása *Drosophila melanogasterben című doktori értekezése*, 2009.
10. Ciechanover A. (1998). The ubiquitin-proteasome pathway: on protein death and cell life. *The EMBO Journal* 17 (24) 7151-7160
11. Hochstrasser, M. (2009). Origin and function of ubiquitin-like proteins. *Nature.* 458(7237):422-9. Review.
12. Chang-Wei Liu and Andrew D. Jacobson (2013) Functions of the 19S complex in proteasomal degradation. *Cell*, 103-110.
13. Pickart, CM. and Fushman, D. (2004). Polyubiquitin chains-polymericprotein signals. *Curr Opin Chem Biol* 8: 610-16.
14. Thrower JS, Hoffman L, Rechsteiner M and Pickart CM (2000). Recognition of the polyubiquitin proteolytic signal. *EMBO J* 19:94–102.
15. DeMartino, G.N. and Gillette, T.G. (2007). Proteasomes: Machines for all reasons. *Cell* 129: 659-662.

16. Zwickl P, Seemuller E, Kapelari B and Baumeister W. (2001). The proteasome: a supramolecular assembly designed for controlled proteolysis. *Adv. Protein Chem.* 59:187-222. Review.
17. Crosas, B., Hanna, J., Kirkpatrick, D.S., Zhang, D.P., Tone, Y., Hathaway, N.A., Buecker, C., Leggett, D.S., Schmidt, M., King, R.W., Gygi, S.P. and Finley D. (2006). Ubiquitin chains are remodeled at the proteasome by opposing ubiquitin ligase and deubiquitinating activities. *Cell* 127: 1401-1413.
18. Lipinsziki Zoltán – A Drosophila 26S proteaszóma ubiquitin-kötő alegységének vizsgálata című TDK dolgozata, 2004.
19. Tanja Woelk, Barbara Oldrini, Elena Maspero, Stefano Confalonieri, Elena Cavallaro, Pier Paolo Di Fiore and Simona Polo: Molecular mechanisms of coupled monoubiquitination. *Nature Cell biology (Articles)*, Volume 8, Number 11, November 2006, 1246-1254.
20. Wilkinson, C.R.M., Seeger, M., Hartman-Petersen, R., Stone, M., Wallace, M., Semple, C. and Gordon, C. (2001). Proteins containing UBA domain are able to bind to multi-ubiquitin chains. *Nat. Cell Biol.* 3, 939-943.
21. Glickman, M. H., Rubin, D. M., Coux, O., Wefes, I., Pfeifer, G., Cjeka, Z., Baumeister, W., Fried, V. A. and Finley, D. (1998). A subcomplex of the proteasome regulatory particle required for ubiquitin conjugate degradation and related to the COP9 signalosome and eIF3. *Cell (Cambridge, Mass.)* 94, 615–623.
22. Fu H, Reis N, Lee Y, Glickman MH and Vierstra RD. (2001). Subunit interaction maps for the regulatory particle of the 26S proteasome and the COP9 signalosome. *EMBO J.* 20:7096–107.
23. Crosas, B., Hanna, J., Kirkpatrick, D.S., Zhang, D.P., Tone, Y., Hathaway, N.A., Buecker, C., Leggett, D.S., Schmidt, M., King, R.W., Gygi, S.P. and Finley D. (2006). Ubiquitin chains are remodeled at the proteasome by opposing ubiquitin ligase and deubiquitinating activities. *Cell* 127: 1401-1413.
24. Uchiki T, Kim HT, Zhai B, Gygi SP, Johnston JA, O'Bryan JP and Goldberg AL. (2009). The ubiquitin-interacting motif protein, S5a, is ubiquitinated by all types of ubiquitin ligases by a mechanism different from typical substrate recognition. *J Biol Chem.* 284(19):12622-32.
25. Husnjak, K., Elsassner, S., Zhang, N., Chen, X., Randles, L., Shi, Y., Hofmann, K., Walters, KJ., Finley, D. and Dikic, I. (2008). Proteasome subunit Rpn13 is a novel ubiquitin receptor. *Nature.* 453(7194):481-8.


26. Kang, Y., Zhang, N., Koepp, DM. and Walters, KJ. (2007). Ubiquitin receptor proteins hHR23a and hPLIC2 interact. *J Mol Biol.* 365(4):1093-101.
27. Kiss, P., Szabó, Á., Hunyadi-Gulyás, É., Medzihradsky, K.F., Lipinszki, Z. and Udvardy A. (2005). Zn²⁺- induced reversible dissociation of subunit Rpn10/p54 of the *Drosophila* 26S proteasome. *Biochem. J.* 391: 301-310.
28. Dantuma, NP., Heinen, C. and Hoogstraten, D. (2009). The ubiquitin receptor Rad23: at the crossroads of nucleotide excision repair and proteasomal degradation. *DNA Repair (Amst).* 8(4):449-60.
29. Vallen, EA., Ho, W., Winey, M. and Rose, MD. (1994). Genetic interactions between CDC31 and KAR1, two genes required for duplication of the microtubule organizing center in *Saccharomyces cerevisiae*. *Genetics.* 137(2):407-22.
30. Li, A., Xie, Z., Dong, Y., McKay, KM., McKee, ML. and Tanzi, RE. (2007). Isolation and characterization of the *Drosophila* ubiquilin ortholog dUbqln: in vivo interaction with early-onset Alzheimer disease genes. *Hum Mol Genet.* 16(21):2626-39.
31. Zoltán Lipinszki, Petra Kiss, Margit Pál, Péter Deák, Áron Szabó, Eva Hunyadi-Gulyas, Eva Klement, Katalin F. Medzihradsky and Andor Udvardi: Developmental-stage-specific regulation of the polyubiquitin receptors in *Drosophila melanogaster*. *Journal of Cell Science* 122 (Research Article) (2009) 3083-3092.
32. Tobias Morawe, Mona Honemann-Capito, Walter von Stein, and Andreas Wodarz - Loss of the extraproteasomal ubiquitin receptor Rings lost impairs ring canal growth in *Drosophila* oogenesis. *The Journal of Cell Biology* 2011 193 (1): 71.
33. Ashburner, M. (1989). *Drosophila. A laboratory handbook.* Cold Spring Harbor Laboratory Press.
34. D.L. Lindsley, G.G. Zimm - *The genome of Drosophila melanogaster* 1992.
35. <http://cnx.org/content/m11317/latest/>
36. Mark Walker, Ralph Rapley - *Route Maps in Gene Technology* (2009).
37. Lee, Y.S., Carthew, R.W. (2003). Making a better RNAi vector for *Drosophila*: use of intron spacers. *Methods* 30(4): 322-329.
38. Brand, A.H., Perrimon, N. (1993). Targeted gene expression as a means of altering cell fates and generating dominant phenotypes. *Development* 118(2): 401-415.
39. Falus András – Molnár Viktor: A génszabályozás és a génhálózatok evolúciója. *Magyar Tudomány* 2010. április.
40. K. Kim, Y.S. Lee, D. Harris et al. - The RNAi Pathway Initiated by Dicer-2 in *Drosophila*, *Cold Spring Harb Symp Quant Biol* 2006 71: 39-44.

41. Staging the metamorphosis of *Drosophila melanogaster* by S. Paul Bainbridge and Mary Bownes from the Department of Molecular Biology, University of Edinburgh.
42. Scott McGinnis* and Thomas L. Madden - BLAST: at the core of a powerful and diverse set of sequence analysis tools. *Nucleic Acids Res.* 2004 July 1; 32(Web Server issue): W20–W25.
43. Altschul SF, Madden TL, Schäffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ. - Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* 1997 Sep 1;25(17):3389-402.


7. KÖSZÖNETNYILVÁNÍTÁS

Köszönetet szeretnék mondani témavezetőimnek, Dr. Deák Péternek és Dr. Pál Margitnak a támogatásukért és a rengeteg segítségért, melyet a munkám során kaptam tőlük. Munkatársaimnak, Nagy Ágotának és Kovács Leventének a tanításért és hasznos tanácsaikért. Dr. Udvardy Andornak a kísérletek során nyújtott segítségért és iránymutatásért. Valamint Dr. Sinka Ritáék csoportjának, a munkámhoz szükséges segédanyagok biztosításáért. És mindenkinek, aki támogatásával hozzájárult ahhoz, hogy munkám sikeres legyen, és a dolgozat elkészülhessen.

8. FÜGGELÉK



1. melléklet A *CG31528* gén expressziójának összehasonlítása különböző szövetekben *Drosophila* lárvákban és adult állatokban.



2. melléklet Egy pGEX-4T-1 vektortérkép. (http://www.snapgene.com/resources/plasmid_files/pgex_vectors_%28ge_healthcare%29/pGEX-4T-1/)