

Köszönetnyilvánítás

Elsősorban szeretném megköszönni dr. Gyurác Józsefnek a témaválasztásban nyújtott segítségét, a gyűrűzési adatok biztosítását számomra, illetve szakmai útmutatását és türelmét. Köszönettel tartozom Farkas Rolandnak a Szalonnán végzett madárgyűrűzési tevékenység szervezéséért. Dr. Bánhidi Péternek a tömördi gyűrűzőtáborok szervezésében nyújtott tevékenységéért. Valamint a vizsgálati helyszíneken gyűrűzésben részt vett madarászok munkájáért, és segítségnyújtásáért is hálával tartozom.

Irodalomjegyzék

- Adriaensen, F., Dhondt, A.A. (1990). Population dynamics and partial migration of the European robin (*Erithacus rubecula*) in different habitats. pp. 1077-1090. in The Journal of Animal Ecology
- Alerstam, T., Högstedt, G. (1980), Spring predictability and leap-frog migration. pp.196-200. in Ornithologica Scandinavica Vol.11.
- Alerstam, T. (1990). Bird migration. University Press. Cambridge
- Bearhop, S. et al. (2005). Assortative mating as a mechanism for rapid evolution of a migratory divide. pp. 502-504. in Science 310.5747
- Berthold, P., Querner, U. (1982). Partial migration in birds: experimental proof of polymorphism as a controlling system. pp. 805-806. in Experientia 38.7
- Berthold, P. (1993): Bird migration, a general survey. Oxford University Press. London
- Berthold, P. (2001): Bird migration, a general survey. Oxford University Press. New York
- Busse, P. (1994): Population trends of some migrants at the southern Baltic coast - autumn catching results 1961-1990. pp. 115-158. in Ring, Vol.16.
- Busse, P. (2000): Bird Station Manual. University of Gdansk. Gdansk
- Cramp, P. (1998). The Birds of the Western Palearctic. Oxford CD-ROM. Oxford University Press. Oxford
- Cristol, D.A., Baker, M.B., Carbone, C. (1999). Differential migration revisited: latitudinal segregation by age and sex class. pp.33-88. in: Nolan, V.(eds.) Current Ornithology, Vol.15. Kluwer, New York
- Curry-Lindahl, K. (1975). Faglar över land och hav. En global översikt av faglarnas flyttning. Albert Bonniers Förlag, Stockholm
- Csörgő, T. (2009): A madárvonulás kialakulása és típusai. pp.19-21. In: Csörgő T., Karcza Zs., Halmos G., Magyar G., Gyurácz J., Szép T., Bankovics A., Schmidt A., Schmidt, E. (eds.): Magyar madárvonulási atlasz. Kossuth Kiadó. Budapest
- Ellegren, H. (1993). Speed of migration and migratory flight lengths of passerine birds ringed during autumn migration in Sweden. Pp.220-228. in Ornithologica Scandinavica Vol.24.
- Farkas, R., Huber, A., Gáti, E. (2014). Fészkelő és vonuló madárfajok állományainak vizsgálata a Bódva-völgyében. ANP Igazgatóság. Jósvalő
- Fowler, J., Cohen, L. (1991). Statistics for Ornithologists. BTO Guide 22. London
- Frelin, Ch. (1979). Physiological adaptation of Blue Tits (*Parus caeruleus*) to migration. pp. 33-41. in Vogelwarte, Vol.30.

- Frelin, Ch. (1979). Physiological adaptation of Blue Tits (*Parus caeruleus*) to migration. pp.33-41. in Volgelwarte Vol.30.
- Gauthreaux, S.A. (1978). The ecological significance of behavioral dominance. pp.17-54 in Perspectives in Ornithology, Vol.3. Plenum press. New York
- Gauthreaux, S. A. (1982). The ecology and evolution of avian migration systems. pp.93-168. in Avian biology ,Vol.6. Academic Press. New York
- Grubb, T.C.Jr. (1987).Changes in the flocking behaviour of wintering English titmice with time, weather and supplementary food. pp.794-806. in Animal Behaviour Vol.35.
- Gyurácz, J., Bánhidi, P. (2009). Autumn migration of Blue Tits (*Parus caeruleus*) in a West Hungarian stopover site. Abstracts 117. The 7th Conference of EOU, Zürich
- Gyurácz, J., Bánhidi, P., Kóródi, A. (2011). Post-breeding movements of Blue Tits (*Parus caeruleus*) in a West Hungarian stopover site. pp.21-29. in Ornis Hungarica ,Vol.19.
- Hammer, O., Harper, D.A.T., Ryan, P.D. (2006). PAST (Paleontological Statistics Version 1.38). Oslo
- Helbig, A. J. (2003). Evolution of bird migration: a phylogenetic and biogeographic perspective. pp. 3-20. in Berthold, P., Gwinner, E., Sonnenschein, E. (eds). Avian migration. Springer. Berlin
- Hildén, O., Saurola, P. (1982). Speed of autumn migration of birds ringed in Finland. pp. 140-143. in Ornis Fennica, Vol. 59.2
- Kalela, O. (1954). Populationsökologische Gesichtspunkte zur Entstehung des Vogelzuges: über den Revierbesitz bei Vögeln und Säugetieren als populationsökologischer Faktor. Societas zoologica-botanica Fennica. Vanamo
- Keszei, B., Bauer N. (1999). A tömördi Nagy-tó környékének növényvilága. pp. 97-100. Vasi Szemle LIII.1.
- Ketterson, E. D., Nolan, V.Jr. (1983). The evolution of differential bird migration. pp.357-402. in Current ornithology. Springer US
- Kóródi, A., Gyurácz, J., Bánhidi, P. (2008). Autumn migration of Blue Tit in Tömörd. pp.23-27. in Cinege. Vol.13.
- Newton, I. (1979). Population ecology of raptors. Berkhamsted, Poyser
- Newton, I. (2006). Advances in the study of irruptive migration. pp.443-460. in Ardea. Vol. 94(3)
- Newton, I. (2008). The migration ecology of birds. Academic Press. London
- Newton, Ian. (2010). The migration ecology of birds. Academic Press

Nilsson, J.A., Smith, H.G. (1988). Effects of dispersal date on winter flock establishment and social dominance in marsh tits *Parus palustris*. pp.917-928. in *The Journal of Animal Ecology*

Nilsson, J.A. (1990). Establishment success of experimentally delayed juvenile marsh tits (*Parus palustris*). pp.73-79. in *Ethology* Vol.85.

Nilsson, A.L.K. et al. (2006). The effect of climate change on partial migration—the blue tit paradox. pp.2014-2022. in *Global Change Biology* 12.10

Nilsson, A.L.K., Alerstam, C.T., Nilsson, J.A. (2008): Diffuse, short and slow migration among Blue Tits. pp.365-373. in *Journal of Ornithology*, Vol.149.

Nowakowski, J.K. (2001). Speed and synchronisation of autumn migration of the Great Tit (*Parus major*) along the eastern and the southern Baltic coast. pp.55-71. in *Ring*, Vol.23.

Nowakowski, J.K., Chruściel, J. (2004). Speed of autumn migration of the Blue Tit (*Parus caeruleus*) along the eastern and southern Baltic coast. *Ring* 26.1

Nyquist, L. (2007). Migration patterns of blue tits (*Parus caeruleus*) at Hammarö Bird Observatory. University essay from Karlstads universitet.

Perez-Tris, J., Tellería, J.L. (2002). Migratory and sedentary blackcaps in sympatric non-breeding grounds: implications for the evolution of avian migration. pp.211-224. in *Journal of Animal Ecology* Vol. 71.

Pulido, F., Berthold, P. (2003). Quantitative genetic analysis of migratory behaviour. In: Berthold, P., Gwinner, E., Sonnenschein, E. (eds): *Avian migration*. Springer. Berlin

Rute, J. (1976). On the speed of migration as observed with the Tit genus (*Parus*). pp. 34-49. in *Zool. Muz. Raksti*, Vol.15.

Smith, H.G., Nilsson, J.A. (1987). Intraspecific variation in migratory pattern of a partial migrant, the blue tit (*Parus caeruleus*): an evaluation of different hypothesis. pp.109-115. in *The Auk* Vol.104.

Svensson, L. (1992): *Identification Guide to European Passerines*. Stockholm

Schwabl, H., Silverin, B. (1990). Control of partial migration and autumnal behavior. pp. 144-155. in *Bird Migration*. Springer Berlin Heidelberg

Székely, T., Juhász, T. (1993). Flocking behaviour of tits (*Parus spp.*) and associated species: the effect of habitat. pp.1-6. in *Ornis Hungarica* Vol.3.

Terril, S.B., Able, K.P. (1988). Bird migration terminology. pp.205-206. in *The Auk* Vol.105.

Török, J. (2009): Kék cinege – *Parus caeruleus*. pp.549-553. In: Csörgő T., Karcza Zs., Halmos G., Magyar G., Gyurácz J., Szép T., Bankovics A., Schmidt A., Schmidt, E. (eds.): *Magyar madárvonulási atlasz*. Kossuth Kiadó. Budapest

Ulfstrand, S. (1962). On the nonbreeding ecology and migratory movements of the Great Tit (*Parus major*) and the Blue Tit (*Parus caeruleus*) in southern Sweden: with notes on related species. Sveriges ornitologiska förening

von Haartman, L. (1968). The evolution of resident versus migratory habit in birds. Some considerations. pp.1-6. in *Ornis Fennica* Vol.45.

Wernham, C., et al. (2002). The migration atlas. *T & AD Poyser* . London