7. IRODALOMJEGYZÉK

Ambros, V. (2004). The functions of animal microRNAs. Nature *431*, 350–355.

Anokye-Danso, F., Trivedi, C.M., Juhr, D., Gupta, M., Cui, Z., Tian, Y., Zhang, Y., Yang, W., Gruber, P.J., Epstein, J.A., et al. (2011). Highly efficient miRNA-mediated reprogramming of mouse and human somatic cells to pluripotency. Cell Stem Cell *8*, 376–388.

Aukerman, M.J., and Sakai, H. (2003). Regulation of Flowering Time and Floral Organ Identity by a MicroRNA and Its APETALA2-Like Target Genes. Plant Cell *15*, 2730–2741.

Barroso-delJesus, A., Romero-López, C., Lucena-Aguilar, G., Melen, G.J., Sanchez, L., Ligero, G., Berzal-Herranz, A., and Menendez, P. (2008). Embryonic stem cell-specific miR302-367 cluster: human gene structure and functional characterization of its core promoter. Mol. Cell. Biol. *28*, 6609–6619.

Barroso-del Jesus, A., Lucena-Aguilar, G., and Menendez, P. (2009). The miR-302-367 cluster as a potential stemness regulator in ESCs. Cell Cycle Georget. Tex *8*, 394–398.

Bartel, D.P. (2004). MicroRNAs: Genomics, Biogenesis, Mechanism, and Function. Cell *116*, 281–297.

Benetti, R., Gonzalo, S., Jaco, I., Muñoz, P., Gonzalez, S., Schoeftner, S., Murchison, E., Andl, T., Chen, T., Klatt, P., et al. (2008). A mammalian microRNA cluster controls DNA methylation and telomere recombination via Rbl2-dependent regulation of DNA methyltransferases. Nat. Struct. Mol. Biol. *15*, 998.

Besenfelder, U., Strouhal, C., and Brem, G. (1998). A method for endoscopic embryo collection and transfer in the rabbit. Zentralblatt Für Veterinärmedizin Reihe A *45*, 577–579.

Brennecke, J., Hipfner, D.R., Stark, A., Russell, R.B., and Cohen, S.M. (2003). bantam encodes a developmentally regulated microRNA that controls cell proliferation and regulates the proapoptotic gene hid in Drosophila. Cell *113*, 25–36.

Card, D.A.G., Hebbar, P.B., Li, L., Trotter, K.W., Komatsu, Y., Mishina, Y., and Archer, T.K. (2008). Oct4/Sox2-regulated miR-302 targets cyclin D1 in human embryonic stem cells. Mol. Cell. Biol. *28*, 6426–6438.

Catunda, A.P., Gócza, E., Carstea, B.V., Hiripi, L., Hayes, H., Rogel-Gaillard, C., Bertaud, M., and Bosze, Z. (2008). Characterization, chromosomal assignment, and role of LIFR in early embryogenesis and stem cell establishment of rabbits. Cloning Stem Cells *10*, 523–534.

Chen, X. (2004). A microRNA as a translational repressor of APETALA2 in Arabidopsis flower development. Science *303*, 2022–2025.

Chen, C., Ridzon, D., Lee, C.-T., Blake, J., Sun, Y., and Strauss, W.M. (2007). Defining embryonic stem cell identity using differentiation-related microRNAs and their potential targets. Mamm. Genome Off. J. Int. Mamm. Genome Soc. *18*, 316–327.

Cui, L., Zhou, H., Zhao, H., Zhou, Y., Xu, R., Xu, X., Zheng, L., Xue, Z., Xia, W., Zhang, B., et al. (2012). MicroRNA-99a induces G1-phase cell cycle arrest and suppresses tumorigenicity in renal cell carcinoma. BMC Cancer *12*, 546.

Cullen, B.R. (2004). Transcription and Processing of Human microRNA Precursors. Mol. Cell *16*, 861–865.

Evans, M.J., and Kaufman, M.H. (1981). Establishment in culture of pluripotential cells from mouse embryos. Nature *292*, 154–156.

Fang, Z.F., Gai, H., Huang, Y.Z., Li, S.G., Chen, X.J., Shi, J.J., Wu, L., Liu, A., Xu, P., and Sheng, H.Z. (2006). Rabbit embryonic stem cell lines derived from fertilized, parthenogenetic or somatic cell nuclear transfer embryos. Exp. Cell Res. *312*, 3669–3682.

Fischer, B., Chavatte-Palmer, P., Viebahn, C., Navarrete Santos, A., and Duranthon, V. (2012). Rabbit as a reproductive model for human health. Reprod. Camb. Engl. *144*, 1–10.

Glass, C., and Singla, D.K. (2011). MicroRNA-1 transfected embryonic stem cells enhance cardiac myocyte differentiation and inhibit apoptosis by modulating the PTEN/Akt pathway in the infarcted heart. Am. J. Physiol. Heart Circ. Physiol. *301*, H2038–H2049.

Griffiths-Jones, S. (2004). The microRNA Registry. Nucleic Acids Res. *32*, D109–D111.

Griffiths-Jones, S., Grocock, R.J., Dongen, S. van, Bateman, A., and Enright, A.J. (2006). miRBase: microRNA sequences, targets and gene nomenclature. Nucleic Acids Res. *34*, D140–D144.

Griffiths-Jones, S., Saini, H.K., Dongen, S. van, and Enright, A.J. (2008). miRBase: tools for microRNA genomics. Nucleic Acids Res. *36*, D154–D158.

Gu, P., Reid, J.G., Gao, X., Shaw, C.A., Creighton, C., Tran, P.L., Zhou, X., Drabek, R.B., Steffen, D.L., Hoang, D.M., et al. (2008). Novel microRNA candidates and miRNA-mRNA pairs in embryonic stem (ES) cells. PloS One *3*, e2548.

Honda, A., Hirose, M., and Ogura, A. (2009). Basic FGF and Activin/Nodal but not LIF signaling sustain undifferentiated status of rabbit embryonic stem cells. Exp. Cell Res. *315*, 2033–2042.

Houbaviy, H.B., Murray, M.F., and Sharp, P.A. (2003). Embryonic stem cell-specific MicroRNAs. Dev. Cell *5*, 351–358.

Houbaviy, H.B., Dennis, L., Jaenisch, R., and Sharp, P.A. (2005). Characterization of a highly variable eutherian microRNA gene. RNA N. Y. N *11*, 1245–1257.

Hsieh, Y.-C., Intawicha, P., Lee, K.-H., Chiu, Y.-T., Lo, N.-W., and Ju, J.-C. (2011). LIF and FGF cooperatively support stemness of rabbit embryonic stem cells derived from parthenogenetically activated embryos. Cell. Reprogramming *13*, 241–255.

Intawicha, P., Ou, Y.-W., Lo, N.-W., Zhang, S.-C., Chen, Y.-Z., Lin, T.-A., Su, H.-L., Guu, H.-F., Chen, M.-J., Lee, K.-H., et al. (2009). Characterization of embryonic stem cell lines derived from New Zealand white rabbit embryos. Cloning Stem Cells *11*, 27–38.

Judson, R.L., Babiarz, J.E., Venere, M., and Blelloch, R. (2009). Embryonic stem cell-specific microRNAs promote induced pluripotency. Nat. Biotechnol. *27*, 459–461.

Kanellopoulou, C., Muljo, S.A., Kung, A.L., Ganesan, S., Drapkin, R., Jenuwein, T., Livingston, D.M., and Rajewsky, K. (2005). Dicer-deficient mouse embryonic stem cells are defective in differentiation and centromeric silencing. Genes Dev. *19*, 489–501.

Kang, S.J., and Grossniklaus, H.E. (2011). Rabbit model of retinoblastoma. J. Biomed. Biotechnol. *2011*, 394730.

Kozomara, A., and Griffiths-Jones, S. (2011). miRBase: integrating microRNA annotation and deep-sequencing data. Nucleic Acids Res. *39*, D152–D157.

Kozomara, A., and Griffiths-Jones, S. (2014). miRBase: annotating high confidence microRNAs using deep sequencing data. Nucleic Acids Res. *42*, D68–D73.

Krichevsky, A.M., King, K.S., Donahue, C.P., Khrapko, K., and Kosik, K.S. (2003). A microRNA array reveals extensive regulation of microRNAs during brain development. RNA N. Y. N *9*, 1274–1281.

Kuo, C.-H., Deng, J.H., Deng, Q., and Ying, S.-Y. (2012). A novel role of miR-302/367 in reprogramming. Biochem. Biophys. Res. Commun. *417*, 11–16.

Lakshmipathy, U., Love, B., Goff, L.A., Jörnsten, R., Graichen, R., Hart, R.P., and Chesnut, J.D. (2007). MicroRNA expression pattern of undifferentiated and differentiated human embryonic stem cells. Stem Cells Dev. *16*, 1003–1016.

Laurent, L.C., Chen, J., Ulitsky, I., Mueller, F.-J., Lu, C., Shamir, R., Fan, J.-B., and Loring, J.F. (2008). Comprehensive microRNA profiling reveals a unique human embryonic stem cell signature dominated by a single seed sequence. Stem Cells Dayt. Ohio *26*, 1506–1516.

Lee, R.C., Feinbaum, R.L., and Ambros, V. (1993). The C. elegans heterochronic gene lin-4 encodes small RNAs with antisense complementarity to lin-14. Cell *75*, 843–854.

Lee, Y., Jeon, K., Lee, J.-T., Kim, S., and Kim, V.N. (2002). MicroRNA maturation: stepwise processing and subcellular localization. EMBO J. *21*, 4663–4670.

Li, D., Liu, X., Lin, L., Hou, J., Li, N., Wang, C., Wang, P., Zhang, Q., Zhang, P., Zhou, W., et al. (2011a). MicroRNA-99a inhibits hepatocellular carcinoma growth and correlates with prognosis of patients with hepatocellular carcinoma. J. Biol. Chem. *286*, 36677–36685.

Li, Z., Yang, C.-S., Nakashima, K., and Rana, T.M. (2011b). Small RNA-mediated regulation of iPS cell generation. EMBO J. *30*, 823–834.

Liang, L., Wong, C.-M., Ying, Q., Fan, D.N.-Y., Huang, S., Ding, J., Yao, J., Yan, M., Li, J., Yao, M., et al. (2010). MicroRNA-125b suppressesed human liver cancer cell proliferation and metastasis by directly targeting oncogene LIN28B2. Hepatol. Baltim. Md *52*, 1731–1740.

Lichner, Z., Páll, E., Kerekes, A., Pállinger, E., Maraghechi, P., Bosze, Z., and Gócza, E. (2011). The miR-290-295 cluster promotes pluripotency maintenance by regulating cell cycle phase distribution in mouse embryonic stem cells. Differ. Res. Biol. Divers. *81*, 11–24.

Lim, L.P., Lau, N.C., Garrett-Engele, P., Grimson, A., Schelter, J.M., Castle, J., Bartel, D.P., Linsley, P.S., and Johnson, J.M. (2005). Microarray analysis shows that some microRNAs downregulate large numbers of target mRNAs. Nature *433*, 769–773.

Lin, G.-P., Jiang, T., Hu, X.-B., Qiao, X.-H., and Tuo, Q.-H. (2007). Effect of Siraitia grosvenorii polysaccharide on glucose and lipid of diabetic rabbits induced by feeding high fat/high sucrose chow. Exp. Diabetes Res. *2007*, 67435.

Marson, A., Levine, S.S., Cole, M.F., Frampton, G.M., Brambrink, T., Johnstone, S., Guenther, M.G., Johnston, W.K., Wernig, M., Newman, J., et al. (2008). Connecting microRNA genes to the core transcriptional regulatory circuitry of embryonic stem cells. Cell *134*, 521–533.

Martin, G.R. (1981). Isolation of a pluripotent cell line from early mouse embryos cultured in medium conditioned by teratocarcinoma stem cells. Proc. Natl. Acad. Sci. *78*, 7634–7638.

Mestdagh, P., Hartmann, N., Baeriswyl, L., Andreasen, D., Bernard, N., Chen, C., Cheo, D., D'Andrade, P., DeMayo, M., Dennis, L., et al. (2014). Evaluation of quantitative miRNA expression platforms in the microRNA quality control (miRQC) study. Nat. Methods *11*, 809–815.

Mineno, J., Okamoto, S., Ando, T., Sato, M., Chono, H., Izu, H., Takayama, M., Asada, K., Mirochnitchenko, O., Inouye, M., et al. (2006). The expression profile of microRNAs in mouse embryos. Nucleic Acids Res. *34*, 1765–1771.

Miyoshi, N., Ishii, H., Nagano, H., Haraguchi, N., Dewi, D.L., Kano, Y., Nishikawa, S., Tanemura, M., Mimori, K., Tanaka, F., et al. (2011). Reprogramming of mouse and human cells to pluripotency using mature microRNAs. Cell Stem Cell *8*, 633–638.

Morin, R.D., O'Connor, M.D., Griffith, M., Kuchenbauer, F., Delaney, A., Prabhu, A.-L., Zhao, Y., McDonald, H., Zeng, T., Hirst, M., et al. (2008). Application of massively parallel sequencing to microRNA profiling and discovery in human embryonic stem cells. Genome Res. *18*, 610–621.

Murchison, E.P., Partridge, J.F., Tam, O.H., Cheloufi, S., and Hannon, G.J. (2005). Characterization of Dicer-deficient murine embryonic stem cells. Proc. Natl. Acad. Sci. U. S. A. *102*, 12135–12140.

Nam, E.J., Yoon, H., Kim, S.W., Kim, H., Kim, Y.T., Kim, J.H., Kim, J.W., and Kim, S. (2008). MicroRNA expression profiles in serous ovarian carcinoma. Clin. Cancer Res. Off. J. Am. Assoc. Cancer Res. *14*, 2690–2695.

Narayanaswamy, M., Wright, K.C., and Kandarpa, K. (2000). Animal models for atherosclerosis, restenosis, and endovascular graft research. J. Vasc. Interv. Radiol. JVIR *11*, 5–17.

Nichols, J., and Smith, A. (2009). Naive and primed pluripotent states. Cell Stem Cell *4*, 487–492.

Palatnik, J.F., Allen, E., Wu, X., Schommer, C., Schwab, R., Carrington, J.C., and Weigel, D. (2003). Control of leaf morphogenesis by microRNAs. Nature *425*, 257–263.

Pasquinelli, A.E., Reinhart, B.J., Slack, F., Martindale, M.Q., Kuroda, M.I., Maller, B., Hayward, D.C., Ball, E.E., Degnan, B., Müller, P., et al. (2000). Conservation of the sequence and temporal expression of let-7 heterochronic regulatory RNA. Nature *408*, 86–89.

Prof. Dalmay, T. (2014). Korrupció a kis RNS szekvenálásban: minden kis RNS egyenlő, de van amelyik egyenlőbb (Gödöllő).

Ramin, N., Thieme, R., Fischer, S., Schindler, M., Schmidt, T., Fischer, B., and Navarrete Santos, A. (2010). Maternal diabetes impairs gastrulation and insulin and IGF-I receptor expression in rabbit blastocysts. Endocrinology *151*, 4158–4167.

Reinhart, B.J., Slack, F.J., Basson, M., Pasquinelli, A.E., Bettinger, J.C., Rougvie, A.E., Horvitz, H.R., and Ruvkun, G. (2000). The 21-nucleotide let-7 RNA regulates developmental timing in Caenorhabditis elegans. Nature *403*, 901–906.

Reinhart, B.J., Weinstein, E.G., Rhoades, M.W., Bartel, B., and Bartel, D.P. (2002). MicroRNAs in plants. Genes Dev. *16*, 1616–1626.

Schmaltz-Panneau, B., Jouneau, L., Osteil, P., Tapponnier, Y., Afanassieff, M., Moroldo, M., Jouneau, A., Daniel, N., Archilla, C., Savatier, P., et al. (2014). Contrasting transcriptome landscapes of rabbit pluripotent stem cells in vitro and in vivo. Anim. Reprod. Sci. *149*, 67–79.

Sinkkonen, L., Hugenschmidt, T., Berninger, P., Gaidatzis, D., Mohn, F., Artus-Revel, C.G., Zavolan, M., Svoboda, P., and Filipowicz, W. (2008). MicroRNAs control de novo DNA methylation through regulation of transcriptional repressors in mouse embryonic stem cells. Nat. Struct. Mol. Biol. *15*, 259–267.

Slack, F.J., Basson, M., Liu, Z., Ambros, V., Horvitz, H.R., and Ruvkun, G. (2000). The lin-41 RBCC gene acts in the C. elegans heterochronic pathway between the let-7 regulatory RNA and the LIN-29 transcription factor. Mol. Cell *5*, 659–669.

Subramanyam, D., Lamouille, S., Judson, R.L., Liu, J.Y., Bucay, N., Derynck, R., and Blelloch, R. (2011). Multiple targets of miR-302 and miR-372 promote reprogramming of human fibroblasts to induced pluripotent stem cells. Nat. Biotechnol. *29*, 443–448.

Suh, M.-R., Lee, Y., Kim, J.Y., Kim, S.-K., Moon, S.-H., Lee, J.Y., Cha, K.-Y., Chung, H.M., Yoon, H.S., Moon, S.Y., et al. (2004). Human embryonic stem cells express a unique set of microRNAs. Dev. Biol. *270*, 488–498.

Sun, D., Lee, Y.S., Malhotra, A., Kim, H.K., Matecic, M., Evans, C., Jensen, R.V., Moskaluk, C.A., and Dutta, A. (2011). miR-99 family of MicroRNAs suppresses the expression of prostate-specific antigen and prostate cancer cell proliferation. Cancer Res. *71*, 1313–1324.

Takahashi, K., and Yamanaka, S. (2006). Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. Cell *126*, 663–676.

Tay, Y., Zhang, J., Thomson, A.M., Lim, B., and Rigoutsos, I. (2008). MicroRNAs to Nanog, Oct4 and Sox2 coding regions modulate embryonic stem cell differentiation. Nature *455*, 1124–1128.

Thieme, R., Ramin, N., Fischer, S., Püschel, B., Fischer, B., and Santos, A.N. (2012). Gastrulation in rabbit blastocysts depends on insulin and insulin-like-growth-factor 1. Mol. Cell. Endocrinol. *348*, 112–119.

Thisse, B., Heyer, V., Lux, A., Alunni, V., Degrave, A., Seiliez, I., Kirchner, J., Parkhill, J.-P., and Thisse, C. (2004). Spatial and temporal expression of the zebrafish genome by large-scale in situ hybridization screening. Methods Cell Biol. *77*, 505–519.

Thisse, C., Thisse, B., Schilling, T.F., and Postlethwait, J.H. (1993). Structure of the zebrafish snail1 gene and its expression in wild-type, spadetail and no tail mutant embryos. Dev. Camb. Engl. *119*, 1203–1215.

Tomari, Y., and Zamore, P.D. (2005). MicroRNA Biogenesis: Drosha Can't Cut It without a Partner. Curr. Biol. *15*, R61–R64.

Turcatel, G., Rubin, N., El-Hashash, A., and Warburton, D. (2012). MIR-99a and MIR-99b modulate TGF-β induced epithelial to mesenchymal plasticity in normal murine mammary gland cells. PloS One *7*, e31032.

Wang, S., Tang, X., Niu, Y., Chen, H., Li, B., Li, T., Zhang, X., Hu, Z., Zhou, Q., and Ji, W. (2007a). Generation and characterization of rabbit embryonic stem cells. Stem Cells Dayt. Ohio *25*, 481–489.

Wang, S., Shen, Y., Yuan, X., Chen, K., Guo, X., Chen, Y., Niu, Y., Li, J., Xu, R.-H., Yan, X., et al. (2008a). Dissecting signaling pathways that govern self-renewal of rabbit embryonic stem cells. J. Biol. Chem. *283*, 35929–35940.

Wang, Y., Medvid, R., Melton, C., Jaenisch, R., and Blelloch, R. (2007b). DGCR8 is essential for microRNA biogenesis and silencing of embryonic stem cell self-renewal. Nat. Genet. *39*, 380–385.

Wang, Y., Baskerville, S., Shenoy, A., Babiarz, J.E., Baehner, L., and Blelloch, R. (2008b). Embryonic stem cell-specific microRNAs regulate the G1-S transition and promote rapid proliferation. Nat. Genet. *40*, 1478–1483.

Wightman, B., Bürglin, T.R., Gatto, J., Arasu, P., and Ruvkun, G. (1991). Negative regulatory sequences in the lin-14 3'-untranslated region are necessary to generate a temporal switch during Caenorhabditis elegans development. Genes Dev. *5*, 1813–1824.

Wightman, B., Ha, I., and Ruvkun, G. (1993). Posttranscriptional regulation of the heterochronic gene lin-14 by lin-4 mediates temporal pattern formation in C. elegans. Cell *75*, 855–862.

Winiarska, K., Malinska, D., Szymanski, K., Dudziak, M., and Bryla, J. (2008). Lipoic acid ameliorates oxidative stress and renal injury in alloxan diabetic rabbits. Biochimie *90*, 450–459.

Wong, S.S.Y., Ritner, C., Ramachandran, S., Aurigui, J., Pitt, C., Chandra, P., Ling, V.B., Yabut, O., and Bernstein, H.S. (2012). miR-125b promotes early germ layer specification through Lin28/let-7d and preferential differentiation of mesoderm in human embryonic stem cells. PloS One *7*, e36121.

Woodruff-Pak, D.S. (2008). Animal models of Alzheimer's disease: therapeutic implications. J. Alzheimers Dis. JAD *15*, 507–521.

Worringer, K.A., Rand, T.A., Hayashi, Y., Sami, S., Takahashi, K., Tanabe, K., Narita, M., Srivastava, D., and Yamanaka, S. (2014). The let-7/LIN-41 pathway regulates reprogramming to human induced pluripotent stem cells by controlling expression of prodifferentiation genes. Cell Stem Cell *14*, 40–52.

Xie, C., Huang, H., Sun, X., Guo, Y., Hamblin, M., Ritchie, R.P., Garcia-Barrio, M.T., Zhang, J., and Chen, Y.E. (2011). MicroRNA-1 regulates smooth muscle cell differentiation by repressing Kruppel-like factor 4. Stem Cells Dev. *20*, 205–210.

Xu, N., Papagiannakopoulos, T., Pan, G., Thomson, J.A., and Kosik, K.S. (2009). MicroRNA-145 regulates OCT4, SOX2, and KLF4 and represses pluripotency in human embryonic stem cells. Cell *137*, 647–658.

Xu, P., Vernooy, S.Y., Guo, M., and Hay, B.A. (2003). The Drosophila microRNA Mir-14 suppresses cell death and is required for normal fat metabolism. Curr. Biol. CB *13*, 790–795.

Yang, C.-S., Li, Z., and Rana, T.M. (2011). microRNAs modulate iPS cell generation. RNA N. Y. N *17*, 1451–1460.

Zahn, G., Volk, K., Lewis, G.P., Vossmeyer, D., Stragies, R., Heier, J.S., Daniel, P.E., Adamis, A.P., Chapin, E.A., Fisher, S.K., et al. (2010). Assessment of the integrin alpha5beta1 antagonist JSM6427 in proliferative vitreoretinopathy using in vitro assays and a rabbit model of retinal detachment. Invest. Ophthalmol. Vis. Sci. *51*, 1028–1035.

Zakhartchenko, V., Flisikowska, T., Li, S., Richter, T., Wieland, H., Durkovic, M., Rottmann, O., Kessler, B., Gungor, T., Brem, G., et al. (2011). Cell-mediated transgenesis in rabbits: chimeric and nuclear transfer animals. Biol. Reprod. *84*, 229–237.

Zhao, Y., Samal, E., and Srivastava, D. (2005). Serum response factor regulates a muscle-specific microRNA that targets Hand2 during cardiogenesis. Nature *436*, 214–220.

Zovoilis, A., Smorag, L., Pantazi, A., and Engel, W. (2009). Members of the miR-290 cluster modulate in vitro differentiation of mouse embryonic stem cells. Differ. Res. Biol. Divers. *78*, 69–78.

8. KÖSZÖNETNYILVÁNÍTÁS

Első sorban köszönettel tartozom témavezetőmnek, Dr. Gócza Elennek, a laboratóriumi munka elsajátításában, és az elméleti háttér megalapozásában nyújtott nélkülözhetetlen segítségéért, és végtelen türelméért.

Köszönöm Dr. Bősze Zsuzsannának, hogy lehetővé tette, hogy munkámat a Mezőgazdasági Biotechnológiai Kutatóintézetben végezzem.

Köszönöm továbbá Pouneh Maraghechi-nek, és Bontovics Babettnek, akik a laboratóriumi módszerek elsajátításában voltak a segítségemre.

Köszönöm Iski Gergőnek a konfokális mikroszkópos vizsgálat során nyújtott segítségét, és hálával tartozom az MBK minden dolgozójának akik segítették és könnyítették a munkámat.

Köszönöm belső konzulenseimnek, Dr. Vellai Tibornak az ELTE-TTK Genetikai Tanszék vezetőjének, és Vellainé Takács Krisztinának az Embertani Tanszék vezetőjének.

Hálásan köszönöm Dr. Véronique Duranthon-nak (Biologie du Developpement et Reproduction, INRA, Jouy-en-Josas, Franciaország), aki lehetővé tette, hogy néhány hetet eltöltsek franciaországi laboratóriumában, és ott értékes tapasztalatokat és módszertani ismereteket szerezhessek. Hálás vagyok Catherine Archilla-nak, aki időt és energiát nem kímélve tanított meg a nyúl embriók *in situ* hibridizációs vizsgálatának alapjaira, és köszönöm Vincent, Laurent és Magelli segítségét, akik folyamatos tanácsaikkal, és kedvességükkel tették még hasznosabbá és élvezetesebbé az ott töltött időmet. Az itt tanultak alapján sikerült az *in situ* hibridizációs technikát saját laboratóriumunkban is beállítanunk.

Köszönöm az COST-RGB NET támogatását, amely lehetővé tette az utazásomat.

Tételes szerzői hozzájárulás

Alulírott **NÉMETH KINGA** a dolgozatomban leírt munkafolyamatok közül az alábbiakat saját kezűleg végeztem el:

- Adatbázisok használata, a klaszterek összeállítása
- RNS minták gyűjtése (sejtek felvétele, embriók gyűjtése)
- RNS izolálás többféle protokoll alapján (TRIzol, RNAzol reagens használatával)
- Koncentráció mérés (NanoDrop)
- Az Agilent Bioanalyzer 2100 készülék protokolljának beállítása és optimalizálása a laborunkban
- A Bioanalyzerrel végzett mérések
- Reverz transzkripció (RT-PCR)
- Részt vettem a TaqMan Array Plate-ek megtervezésében
- Real-time PCR
- Az *in situ* hibridizációs protokoll beállítása és optimalizálása a laborunkban
- Az *in situ* hibridizáció elvégzése
- Részt vettem a konfokális mikroszkóppal való vizsgálatban

Budapest, 2015.01.05.

Németh Kinga

.....

aláírás