

Simultaneous assessment of the left atrium and coronary arteries with low-dose axial CT in patients with atrial fibrillation

Poster No.: C-1367

Congress: ECR 2013

Type: Scientific Exhibit

Authors: P. Maurovich-Horvat¹, M. Kolossvary¹, R. D. O'Connor², M. Károlyi¹, G. Széplaki¹, A. Bartykowszki¹, L. Geller¹, K. Hüttl¹, B. Merkely¹; ¹Budapest/HU, ²Rotterdam/NL

Keywords: Cardiac, Vascular, CT-Angiography, Diagnostic procedure, Contrast agent-intravenous, Arteriosclerosis

DOI: 10.1594/ecr2013/C-1367

Any information contained in this pdf file is automatically generated from digital material submitted to EPOS by third parties in the form of scientific presentations. References to any names, marks, products, or services of third parties or hypertext links to third-party sites or information are provided solely as a convenience to you and do not in any way constitute or imply ECR's endorsement, sponsorship or recommendation of the third party, information, product or service. ECR is not responsible for the content of these pages and does not make any representations regarding the content or accuracy of material in this file.

As per copyright regulations, any unauthorised use of the material or parts thereof as well as commercial reproduction or multiple distribution by any traditional or electronically based reproduction/publication method is strictly prohibited.

You agree to defend, indemnify, and hold ECR harmless from and against any and all claims, damages, costs, and expenses, including attorneys' fees, arising from or related to your use of these pages.

Please note: Links to movies, ppt slideshows and any other multimedia files are not available in the pdf version of presentations.

www.myESR.org