

**Institute for Plant Protection and Environment
Beograd, Serbia**

**International Symposium:
Current Trends in Plant Protection**

Proceedings

Belgrade, 25-28. September 2012

**Belgrade September 2012
International Symposium
Current Trends in Plant Protection
Proceedings**

Organizer of the Symposium:

Institute for Plant Protection and Environment, Belgrade, Serbia

Publisher:

Institute for Plant Protection and Environment, Belgrade, Serbia

For publisher:

Nenad Dolovac Ph .D, Director of Institute

Editor in Chief:

Dragana Marisavljević Ph .D,

Institute for Plant Protection and Environment, Belgrade, Serbia

Subeditors:

Žarko Ivanović Ph .D, Institute for Plant Protection and Environment, Belgrade, Serbia

Milana Mitrović Ph .D, Institute for Plant Protection and Environment, Belgrade, Serbia

Violeta Oro Ph .D, Institute for Plant Protection and Environment, Belgrade, Serbia

Reviewers:

Janos Varga Ph .D , Proffesor, University of Szeged, Hungary

Jelena Latinović Ph .D, Proffesor, Biotechnical faculty, Podgorica, Montenegro

Tatjana Perović, Ph .D, Proffesor, Biotechnical faculty, Podgorica, Montenegro

Darko Vončina Ph .D, Proffesor, University of Zagreb, Faculty of Agriculture, Croatia

Nedeljko Latinović Ph .D, Proffesor, Biotechnical faculty, Podgorica, Montenegro

Sead Šabanadžović Ph .D, Proffesor, Department of Biochemistry, Molecular Biology,
Entomology and Plant Pathology, Mississippi State University, USA

Biljana Kukavica Ph .D, Proffesor, University of Banja Luka, Faculty of Natural Sciences and
Mathematics, Bosnia and Hercegovina

Svetoslav Bobev Ph .D, Proffesor, Agicultural University, Plovdiv, Bulgaria

Vojislav Trkulja Ph .D, Proffesor, University of Banja Luka, Faculty of Agriculture, Bosnia and
Hercegovina

Stefania Pollastro Ph .D, Proffesor, University of Bari, Italy

Oliver T. Neher, Ph. D, Proffesor, University of Idaho, Twin Falls Research and Extension
Center, USA

Luís Teixeira da Costa, Ph. D, Instituto de Ciências Agrárias e Ambientais Mediterrânicas,
Universidade de Évora, Portugal

Ricardo Holgado, Ph.D, Norwegian Institute for Agricultural & Environmental Research-
Bioforsk, Norway

Solveig Haukeland Ph.D, Norwegian Institute for Agricultural & Environmental Research-
Bioforsk, Norway

Zvonko Pacanoski, Assistant Professor principles of field crop production herbology and
phytopharmacy, Faculty of Agriculture Sciences and Food, Skopje

Ahmet Uludag, Igdir University, Plant Protection Department, Igdir, Turkey

Elena Kotula Syka, Ph. D, proffesor, Democritus University of Thrace, Greece

- Petros Lolos , Ph. D, proffesor, School of Agriculture, Crop Production and Rural Environment, University of Thessaly, Greece
- Giusepe Brundu, Department of Science for Nature and Environmental Resources (DIPNET), University of Sassari, Sassari, Italy
- Albert Fisher Ph.D, Professor, Dept. of Plant Sciences, University of California Davis, USA
- Özhan Boz, [Plant Protection Department, Faculty of Agriculture, Adnan Menderes University, Turkey
- Edita Štefanić, J.J. Strossmayer University, Osijek, Croatia
- Štefan Týr, PhD., Katedra udržateľného poľnohospodárstva a herbológie, Nitra, Slovak Republic
- Josef Holec, Czech University of Lite Sciences Prague, Dept. Agroecology and Biometeorology Prague, Czech Republic
- Mirza Dautbasic, Faculty of Forestry University of Sarajevo, Bosnia and Herzegovina
- Vaskrsija Janjić, Ph.D., Proffesor, Faculty of Agriculture, Banja Luka, Bosnia and Hercegovina
- Steve A. Quarrie, Ph.D, Guest Professor, Belgrade University
- Pal Boza, Ph.D, Proffesor, University of Novi Sad, Faculty of Sciences, Novi Sad, Serbia
- Ružica igić, , Ph.D, Proffesor, University of Novi Sad, Faculty of Sciences, Novi Sad, Serbia
- Goran Anačkov, , Ph.D, Proffesor, University of Novi Sad, Faculty of Sciences, Novi Sad, Serbia
- Milana Mitrović, Ph .D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Tatjana Cvrković, Ph .D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Šlobodan Krnjajić, Ph .D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Željko Tomanović, Ph.D, Professor, Faculty of Biology Belgrade, Serbia
- Veljko Gavrilović, Ph . D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Mira Starović, Ph . D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Slobodan Kuzmanović, Ph . D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Saša Stojanović, Ph . D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Svetlana Živković, Ph . D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Tatjana Popović, Ph . D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Nenad Dolovac, Ph.D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Žarko Ivanović, Ph.D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Goran Aleksić , Ph.D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Violeta Oro, Ph. D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Ljiljana Radivojević, Ph.D, Institute for Pesticides and Environment, Belgrade, Serbia
- Goran Andrić, Ph.D, Institute for Pesticides and Environment, Belgrade, Serbia
- Dejan Marčić, Ph.D, Institute for Pesticides and Environment, Belgrade, Serbia
- Bojan Duduk, Ph.D, Institute for Pesticides and Environment, Belgrade, Serbia
- Branko Konstantinović, Ph.D, Proffesor, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
- Maja Meseldžija, Ph.D, Proffesor, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
- Sava Vrbničanin, Ph.D, Proffesor, Univerity of Belgrade, Faculty of Agriculture, Belgrade, Serbia
- Milena Simić, Ph.D, Maize research Institute Zemun Polje, Belgrade, Serbia
- Aleksandra Bulajić, Ph.D Proffesor, University of Belgrade, Faculti of Agriculture, Belgrade, Serbia
- Dragana Marisavljević, Ph.D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Danijela Pavlović, Ph.D, Institute for Plant Protection and Environment, Belgrade, Serbia
- Vesna Krnjaja, Ph.D, Institute for Animal Husbrandy, Belgrade, Serbia

Laszlo Barsi, Ph. D, University of Novi Sad Proffesor, Faculty of Sciences, Novi Sad, Serbia
Branka Krstić, Ph D, Proffesor, University of Belgrade, Faculty of Agriculture, Belgrade, Serbia
Darko Jevremović, PhD, Fruits Research Institue, Čačak, Serbia
Nenead Trkulja, Institute for Plant Protection and Environments, Belgrade, Serbia

Design:

Gordan Radomirović, dipl ing, sigra.star@gmail.com

Printed by:

"Makarije" doo Beograd, www.makarije.rs

Circulation: 300

ICBH: 978-86-910951-1-6

By the resolution no. 451-03-3906 /2011-14, од 21 Jun 2011 Ministry of Education and Science Republic of Serbia donated financial means for printing this Symposium Proceeding

Organizing Committee:

1. President Dr Nenad Dolovac, Institute for Plant Protection and Environment, Belgrade, Serbia
2. Secretary (Symposium secretary) Dr Dragana Marisavljević, Institute for Plant Protection and Environment, Belgrade, Serbia
3. Dr Milica Rat, University of Novi Sad, Faculty of Sciences, Novi Sad, Serbia
4. Prof Dr Ferenc Bagi, Proffesor, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
5. Dr Ljiljana Radivojević, Institute for Plant Pesticides and Environment, Belgrade, Serbia
6. Dr Emil Rekanović, Institute for Plant Pesticides and Environment, Belgrade, Serbia
7. Dr Milana Mitrović, Institute for Plant Protection and Environment, Belgrade, Serbia
8. Dr Danijela Pavlović, Institute for Plant Protection and Environment, Belgrade, Serbia
9. Dr Žarko Ivanović, Institute for Plant Protection and Environment, Belgrade, Serbia
10. Dr Slobodan Kuzmanović, Institute for Plant Protection and Environment, Belgrade, Serbia
11. Dr Violeta Oro, Institute for Plant Protection and Environment, Belgrade, Serbia
12. Mr Petar Mitrović, Institute for Field and Vegetable Crops, Novi Sad, Serbia
13. Mr Aleksandra Konjević, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
14. Nenad Trkulja Dipl ing, Institute for Plant protection and Environment, Belgrade, Serbia
15. Mr Bojan Konstantinović, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
16. Nataša Samardžić, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia

Program Committee

1. President: Prof. Dr Branko Konstantinović, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
2. Ahmet Uludag, Igdir University, Plant Protection Department, Igdir, Turkey
3. Giuseppe Brundu, Department of Science for Nature and Environmental Resources (DIPNET), University of Sassari, Sassari, Italy
4. Ricardo Holgado, Ph.D, Norwegian Institute for Agricultural & Environmental Research-Bioforsk, Norway
5. Jelena Latinović Ph .D, Proffesor, Biotechnical faculty, Podgorica, Montenegro
6. Darko Vončina Ph .D, Proffesor, University of Zagreb, Faculty of Agriculture, Croatia
7. Carl Reinhart , Department of Plant Production and Soil Science, University of Pretoria, South Africa,
8. Janos Varga Ph .D , Proffesor, University of Szeged, Hungary
9. Luís Teixeira da Costa, Ph. D, Instituto de Ciências Agrárias e Ambientais Mediterrânicas, Universidade de Évora, Portugal
10. prof dr Vaskrsija Janjić, University of Banja Luka, Faculty of Agriculture, Bosnia and Hercegovina
11. Dr Sanja Lazić, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
12. Prof. dr Pal Boža, University of Novi Sad, Faculty of Sciences, Novi Sad, Serbia
13. Dr Stevan Maširević, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
14. Prof. dr Ružica Igić, University of Novi Sad, Faculty of Sciences, Novi Sad, Serbia
15. Prof. dr Ivo Karaman, University of Novi Sad, Faculty of Sciences, Novi Sad, Serbia
16. Dr Goran Anačkov, University of Novi Sad, Faculty of Sciences, Novi Sad, Serbia
17. Dr Maja Meseldžija, University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia
18. Dr Ana Marijanović Jeromela, Institute for Field and Vegetable Crops, Novi Sad, Serbia
19. Dr Radovan Marinković, Institute for Field and Vegetable Crops , Novi Sad, Serbia
20. Prof dr Branka Krstić, Ph.D Proffesor, Belgrade University, Faculty of Agriculture, Belgrade, Serbia
21. Prof dr Aleksandra Bulajić, Ph.D Proffesor, Belgrade University, Faculty of Agriculture, Belgrade, Serbia
22. Dr Goran Aleksić, Institute for Plant Protection and Environment, Belgrade, Serbia
23. Dr Tatjana Cvrković, Institute for Plant Protection and Environment, Belgrade, Serbia
24. Dr Slobodan Krnjajić, Institute for Plant Protection and Environment, Belgrade, Serbia
25. Dr Tatjana Popović, Institute for Plant Protection and Environment, Belgrade, Serbia
26. Dr Mira Starović, Institute for Plant Protection and Environment, Belgrade, Serbia
27. Dr Svetlana Živković, Institute for Plant Protection and Environment, Belgrade, Serbia
28. Dr Bogdan Nikolić, Institute for Plant Protection and Environment, Belgrade, Serbia
29. Prof dr Jelena Bošković, Faculty for Biofarming, Backa Topola, Serbia

Sponsors

General sponsor:

Galenika Fitofarmacija a.d.

Sponsors:

Magan Agrochemicals d.o.o.

Agromarket Kragujevac d.o.o.

BASF Serbia d.o.o

Chemical Agrosava

PKB Korporacija a.d.

VINS 2000 d.o.o.

Word of the organizer

Institute for plant protection and Environment have started the organization plant protection symposiums in 2010 year when we celebrates 65th anniversary. The first Symposiom was national symposium „ Actual problems in control of weeds and optimization of pesticides use in plant protection“

The symposium was succesful and we decided our Symposiums to become a traditional meeting of researchers in September , every second year. Consider needs to make beter conections with reaserchers in region and also in Europe we decided in 2012 organize or first international symposium „ International Symposium : Curent trends in plant Protection „

The objectives of the International Symposium Curent trends in plant Protection are presentation of current knowledge and the exchange of experiences from the field of Plant Protection consideration of development tendencies and trends in Serbia and the world as well, gathering researchers from this field with the aim of expanding regional and international cooperation, raising the level of professional and scientific work at Institute For Plant protection and Environment , expanding cooperation with educational institutions and encouraging young researchers within this field. Taking into account that this Symposium is international, the importance of this event is obvious for the town of Belgrade and Serbia.

Institute as one of the major representatives of plant protections development in Serbia did the organization of Symposium in collaboration with two educational institutions Agricultural Faculty University of Novi Sad, Department of Phytomedicine and Environmental Protection and Faculty of Science, University of Novi Sad Department of Biology and Ecology whom we wish to thank.

Within this Proceedings are presented all accepted papers (reviewed with two reviewers). The papers are divided into six sessions: Entomology, Phytopharmacy, Integrated Pest management, Herbology and Nematology.

We wish to thank Ministry of Education and Science, Republic of Serbia and our Sponsors for supporting the organization International Symposium : Current Trends in Plant Protection. We are also expressing our gratitude to all authors who have contributed with their papers to the organization of our first International symposium and our gratitude to all reviwers for helping us .

We are open for cooperation and thankful for all useful suggestions which could contribute that the next - II International Symposium: Current Trends in Plant Protection (2014) become better !

President of the Organizing Committee
Dr Nenad Dolovac

Secretary of the Symposium
Dr Dragana Marisavljević

Belgrade, September 2012

ROLE OF *ASPERGILLUS* SPECIES IN MYCOTOXIN CONTAMINATION OF AGRICULTURAL PRODUCTS IN CENTRAL EUROPE

GYÖNGYI SZIGETI¹, NIKOLETT BARANYI¹, SÁNDOR KOCSUBÉ¹, TAMÁS GYÖRI¹, ANDRÁS
SZEKERES¹, BEÁTA TÓTH², ORSOLYA TÖRÖK², EDIT HÁFRA^{1,2}, XÉNIA PÁLFY², JÁNOS
VARGA¹

¹ University of Szeged, Faculty of Science and Informatics, Department of Microbiology, 6726
Szeged, Közép fasor 52.

² Cereal Research Nonprofit Ltd., 6726 Szeged, Alsó kikötő sor 9.

Aspergillus species are filamentous fungi which are widespread on agricultural products in subtropical and tropical areas of the world. *Aspergilli* are able to produce a range of mycotoxins which can be harmful to animals or humans, including aflatoxins, ochratoxins, fumonisins and patulin. According to recent studies, climate change accompanied by global warming affects the occurrence of fungi and their mycotoxins in our foods and feeds. A shift has recently been observed in the occurrence of *Aspergillus* species, especially aflatoxin producers in Europe. Our aim was to examine the occurrence of mycotoxin producing *Aspergilli* in Hungarian agricultural products to evaluate their importance in food safety. The examined agricultural products included various cereals, onions, nuts and spices. The surface-sterilized products were placed on selective media, and the isolated fungal strains were identified using morphological and sequence-based methods. Regarding cereals, several *Aspergillus flavus* isolates were identified, which are potential aflatoxin producers. This species was identified on various cereal seeds including maize, wheat and barley in different regions of Hungary. Several of the *A. flavus* isolates were found to be able to produce aflatoxins. Onions were found to be infected by *Aspergillus awamori*, a recently described ochratoxin and fumonisin producing species. This species together with other black *Aspergilli* was also identified on cereal seeds. Besides *A. flavus*, several potential mycotoxin producing species including *A. westerdijkiae*, *A. melleus*, *A. terreus*, *A. awamori* and *A. niger* have also been identified on nuts and spices (chilli, red pepper, spice mixes). Several species including *Aspergillus eucalypticola* and *Aspergillus amoenus* were identified for the first time in Europe. Further studies are in progress to examine the mycotoxin producing abilities and genetic variability of the isolates identified, and to examine the mycotoxin content of the samples.

Key words: *Aspergillus*, cereals, onions, aflatoxins, fumonisins, climate change

INTRODUCTION

Mycotoxins are secondary metabolites of filamentous fungi which are harmful to animals and humans, and able to provoke various disease symptoms (Varga et al., 2009). Aflatoxins are among the most important mycotoxins, which are produced by species assigned to the *Aspergillus* genus. Among the numerous aflatoxins described, aflatoxin B₁

is the most toxic, being a potent genotoxic carcinogen in laboratory animals and with strong evidence for its liver carcinogenicity in humans. Aflatoxin B₁ exhibits hepatocarcinogenic and hepatotoxic properties, and is referred to as the most potent naturally occurring carcinogen. The International Agency for Research on Cancer has classified aflatoxin B₁ as a group I carcinogen. The most important producer, *Aspergillus flavus*, is also an important pathogen of various cultivated plants including maize, cotton and peanut causing serious yield losses throughout the world. Since aflatoxin production is favoured by moisture and high temperature, *A. flavus* is able to produce aflatoxins in warmer, tropical and subtropical climates (Varga et al., 2009). Consequently, aflatoxin contamination of agricultural products in countries with temperate climate, including Central European countries, is not treated as a serious health hazard. However, climate change associated with global warming seems to change the scenario. Based on recent studies, aflatoxin producing fungi and consequently aflatoxins are expected to become more prevalent with climate change in countries with temperate climate (Paterson and Lima, 2010). Indeed, several recent reports have indicated the occurrence of aflatoxin producing fungi and consequently aflatoxin contamination in agricultural commodities in several European countries that did not face with this problem before (Dobolyi et al., 2011). These observations led us to examine the occurrence of potential mycotoxigenic *Aspergillus* species in Central European agricultural products.

MATERIALS AND METHODS

Sample collection

The cereal samples were collected from various cereal growing regions of Hungary in 2010 and 2011. The cereals examined included wheat, maize and barley. Onion samples, nuts and spices were also collected in this period from various outlets and stores in Central Europe including Hungary, Serbia and Romania. The samples were surface sterilized using ethanol, and plated onto dichloran rose bengal (DRBC) media (King et al., 1979). Plates were incubated at 25 °C in darkness and monitored periodically for characteristic mycelium growing from the kernels. Outgrowing mycelia were purified and transferred to malt extract agar (MEA) and/or Czapek-Yeast Extract agar (CYA) media without antibiotics. Isolates were subcultured as single conidia on MEA, PDA and CYA plates (Samson et al., 2004).

Genotypic studies

The cultures used for the molecular studies were grown on malt peptone (MP) broth for 2 days, and DNA was extracted from the mycelia using the Masterpure™ yeast DNA purification kit (Epicentre Biotechnol., USA) according to the instructions of the manufacturer. Part of the calmodulin gene was amplified and sequenced as described by Pildain et al. (2008). Calmodulin sequences were compared using nucleotide-nucleotide BLAST (blastn) with default settings (<http://blast.ncbi.nlm.nih.gov>) to the Genbank database, and to our own sequence database. Species identification was determined from the lowest expect value of the BLAST output.

RESULTS AND DISCUSSION

Occurrence of *Aspergilli* on cereals

We examined the occurrence of potential aflatoxin producing fungi in cereals in Hungary. The surface-sterilized cereal seeds were placed on selective media, and the

isolated fungal strains were identified using morphological and sequence-based methods. Among the examined samples, several isolates were found to be members of section *Flavi* of the genus *Aspergillus* based on colony morphology and microscopic features (Figure 1). Species assignment of the isolates was carried out using partial sequence analysis of the calmodulin gene. In spite of their high morphological variability, all isolates proved to belong to the *Aspergillus flavus* species based on calmodulin sequence data. The proportion of the positive samples varied: 0.83%, 2.00% and 3.17% rates were observed for maize, barley and wheat, respectively. None of the cereal samples were found to be contaminated by aflatoxins (data not shown). Examination of aflatoxin producing abilities of the isolates is in progress. According to preliminary results, several of the isolates were able to produce aflatoxins B₁ and B₂ (Figure 2).



Figure 1. *Aspergillus flavus* and *A. niger* contamination of stored wheat.




Figure 2. HPLC-FLD chromatogram of aflatoxins produced by one of the *Aspergillus flavus* isolates collected from wheat.

Besides *A. flavus*, several other potential mycotoxin producers were identified in the samples. The patulin producer *A. clavatus* and black *Aspergilli* able to produce both ochratoxins and fumonisins were recovered from several samples.

Occurrence of black *Aspergilli* on onions

Black mold rot caused by black *Aspergilli* is often responsible for severe damage of onion bulbs during storage. Infected onion bulbs have a black discoloration at the neck, shallow lesions on the outer scales, streaks of black mycelium and conidia beneath the outer scales and a black discoloration in bruised areas. The disease commonly occurs on onions stored at high ambient temperatures. Contaminated seeds and soil appear to constitute the main inoculum source. The species responsible for black mold rot is usually referred to as *Aspergillus niger*. We examined the mycobiota and fumonisin contamination of mouldy onion bulbs purchased in Hungary. All except one of the examined mouldy samples were found to be contaminated with black *Aspergilli*, which could be isolated both from the outer dry and the inner fleshy scales of onion bulbs. Species assignment of the isolates was carried out using sequence analysis of part of the calmodulin gene. Sequence data revealed that all 35 black *Aspergilli* isolated from onions belong to the *Aspergillus awamori* species. Two of the examined onion samples were found to be contaminated with fumonisins at a low rate (ca. 0.3 mg kg⁻¹; data not shown). This is the first report on fumonisin contamination of onion bulbs.

Occurrence of *Aspergilli* on spices and nuts

Several spice and nut samples were collected in outlets and stores in Hungary and Serbia. Besides *A. flavus*, several potential mycotoxin producing species including *A. westerdijkiae*, *A. melleus*, *A. terreus*, *A. awamori* and *A. niger* have also been identified on nuts and spices (chilli, red pepper, spice mixes). Several species including *Aspergillus eucalypticola* and *Aspergillus amoenus* were identified for the first time in Europe (data not shown). Further studies are in progress to examine the mycotoxin producing abilities and genetic variability of these species.

ACKNOWLEDGEMENTS

This work was supported by OTKA grant Nos. K84122 and K84077. The project is co-financed by the European Union through the Hungary-Serbia IPA Cross-border Cooperation Programme (ToxFreeFeed, HU-SRB/1002/122/062), and by the European Union and co-funded by the European Social Fund ("Broadening the knowledge base and supporting the long term professional sustainability of the Research University Centre of Excellence at the University of Szeged by ensuring the rising generation of excellent scientists"; TÁMOP-4.2.2/B-10/1-2010-0012). Beáta Tóth was supported by the János Bolyai Research Scholarship of the Hungarian Academy of Sciences.

REFERENCES

- Dobolyi, C., Sebők, F., Varga, J., Kocsubé, S., Szigeti, G., Baranyi, N., Szécsi, Á., Lustyik, G., Micsinai, A., Tóth, B., Varga, M., Kriszt, B., Kukolya, J. (2011): Aflatoxin-termelő *Aspergillus flavus* törzsek előfordulása hazai kukorica szemtermésben. Növényvédelem, 47: 125-133 (in Hungarian).